

The STIGA logo is positioned in the upper left corner of the image. It features a stylized, bold, black 'S' followed by the word 'TIGA' in a clean, sans-serif font. The background of the entire image is a photograph of a modern house with a red-tiled roof and large glass windows, set against a blue sky with white clouds. In the foreground, two robotic lawn mowers are parked on a lush green lawn. One is orange and black, and the other is dark grey and black. Both have the STIGA logo on their top surfaces.

**STIGA**

The text 'Range 2023' is located at the bottom of the image. It is written in a large, white, sans-serif font, centered horizontally. The background behind the text is the green grass from the lawn mower scene.

**Range 2023**

The STIGA logo is positioned in the top right corner of the page. It features the word "STIGA" in a bold, white, sans-serif font, with a stylized white swoosh element preceding the letter "S".

# STIGA



## Who we are

STIGA was founded in Sweden in 1934 by Stig Hjelmquist. A dedicated entrepreneur, he started developing tools that would enable people to enjoy living and working outdoors – from camping equipment to lawnmowers. His passion for innovation still inspires us to this day.


Nearly 90 years on, STIGA is now a leader in designing and making a wide range of powered garden equipment, distributed across Europe and beyond.

## What we do

Our green-fingered engineers are proud to create products that transform the way we garden. Designed and manufactured to the highest standards. Engineered to perform. Built to last. This is complex technology made joyfully simple to use and maintain.

That's because, in our hearts, we want every gardener to get outside, connect with nature and care for their corner of the planet, however big or small.





## How we do it

To us, logic and magic go hand in hand. We bring the technical expertise, the engineering know-how and design experience and capabilities to make gardening a joy.

But that's just half the story.

To this cool rationality we add human warmth, soul and emotion. We bring the imagination to think beyond the expected. And an ethos of care and harmony that supports nature, rather than purely cutting and controlling.

It's this combination – the eco and logical, imagination and innovation – that sets us apart from the competition.



“

We believe...

In the power of **simplicity**:

making the complex intuitive.

In **giant leaps**, not small steps.

In questions, not answers.

Because **curiosity** drives us.

In breaking the rules and **challenging** convention,  
while working in harmony with nature.

In putting **people** first –

giving them the power they need,

when and where they need it.

In having the **courage** to do the right thing –  
for our people, customers and planet.

In doing more with less, but performing better.

In the strength of **logic** and rationality.

In the power of imagination and **magic**.

In the joy and ever-changing wonder of gardening.

And, above all, knowing if you look after the planet,  
it will look after you.

We are **green-fingered engineers**.

We are STIGA.

”

**STIGA manifesto**

## STIGA values

### **S**implicity

#### **We make it easy**

Using less to achieve more.  
Creating reliable, practical,  
user-centred products.  
Tools that are intuitive and  
satisfy customers, real needs.

### **T**ogetherness

#### **We collaborate**

Built on family values.  
A pan-European brand  
with openness, inclusivity  
and teamwork at its core.

### **I**nnovation

#### **We shape the future**

Continually thinking ahead across  
electric, digital and the environment.  
A long history of firsts.  
A team of green-fingered engineers.

### **G**arden-care

#### **We nurture nature**

Working in harmony with nature.  
Caring for gardens and gardeners.  
Having a positive impact –  
because many green spaces  
create one global garden:  
our planet.

### **A**ction

#### **We are proactive**

Listening. Learning. Pairing  
engineering logic and creative magic  
to be more competitive.  
And turning ideas into practical  
improvements – fast.



**STIGA**

# **2023 Innovations**



# ePower

Powers longer. Lives longer.

## Developed, tested and produced by STIGA.

The Industry Standard tests batteries through 300 charges at 20% of the 'real-life usage' current: This doesn't represent real-world conditions. Our engineers have developed more demanding tests that demonstrate that STIGA

batteries work better, for longer. From mowing to leaf blowing, our batteries are still going strong after 750 charges. This is equivalent to running down and recharging the battery twice a week for over 7 years.

- ePower shareable: 20V and 48V batteries that can be shared through a wide range of machines and tools (Available capacities: from 2 Ah to 7.5 Ah)
- ePower integrated: battery packs that are designed and developed together with the machine they equip, for the best possible performance
- Tested at a full, "real life" usage
- Advanced "black box" records the battery health status for diagnostics (ePower shareable)

# Shareable ePower

**From hand-held tools  
to walk behind lawn mowers,  
to big garden tractors,  
STIGA ePower drives a wide  
range of equipment.**

**Shareable battery packs mean the  
same battery can be used to power  
different tools.**

All STIGA ePower batteries are designed, developed and produced by STIGA. Tested at a 'real-life' usage, far beyond the industry standard, up to 750 cycles before capacity drops below 80%.

The 48V ePower batteries are available in a wide range of capacities, from 2 to 7.5 Ah, powering different products for many garden care activities, all year round.

The ePower shareable includes also 20V ePower batteries that power the whole STIGA 1 series range of products and feature two different capacities: 2 and 4 Ah.

# eP<sup>o</sup>wer

Better battery technology.  
Powers longer. Lives longer.



## Expert



**BH 900e**



**BL 900e**



**HT 900e**



**PH 900e**



**BC 900e B**



**PS 900e**



**Twinclip**  
950e V  
950e VR

## ePower 48V System

Totally interchangeable.  
Any battery, any tool.


STIGA ePower 48V systems are not only strong, but also 'smart'. The tools constantly adjust the power demand to deliver exactly what is needed for the job at hand.

- Tested beyond industry standards to power longer and live longer
- Smartly managed also by chargers
- Safe and reliable in every working condition

## Essential



**ST 300e**



**Combi**  
336e/340e/344e



**BL 500e**



**Swift 372e**

# Experience



7.5Ah

5Ah

4Ah

2Ah

# Experience



GT 500e

HT 500e

Collector 548e S/543e

Collector 548 AE/543 AE

Multiclip 547 AE

Multiclip 547e/ 547e S



# eP<sup>ower</sup>

Better battery technology.  
Does the thinking for you.



# ePower

## 20V System



2Ah

4Ah

Totally interchangeable.  
Any battery, any tool.

In the 20V system the battery is "smart": it recognizes the tool and sets on itself the appropriate working parameters. Changing limits gives optimized run time for each tool and helps maximize the life of the battery.

### Essential



# Integrated ePower

From electric tractors and robot mowers to STIGA brand-new axial mowers. STIGA ePower integrated battery packs have been designed and developed specifically for the machine they're in. Ideal for big to huge lawns, they offer unparalleled runtime and performance – covering a maximum working area on a single charge.

## **Beyond standards, born inside the tools.**

Offering unparalleled runtime and performance. Tested at a 'real-life' usage current to stay strong after 500 charging and discharging cycles – equating to 10 years of weekly machine usage. This goes far beyond the less demanding industry standard test.



## **Axial mowers**

Powered by big ePower integrated battery packs (up to 105 Ah), delivering all the power needed to work on gardens up to 13.000 sqm.

On the new Gyro 9, high-density 21700 li-ion cells grant also higher standards in terms of durability, performance and battery life.



## **Electric tractors**

A 64 Ah Li-Ion battery pack with premium cells. Tested at a 'real-life' usage current to stay strong after 500 charging and discharging cycles – equating to 10 years of weekly machine usage (if maintenance is performed thoroughly). This goes far beyond the less demanding industry standard test.





## Robot mowers

With STIGA's patented ePower battery at its heart, STIGA robot mowers are engineered to properly nurture lawns in just two cutting cycles a day. The ePower battery for robot mowers is built on premium lithium ion cells, which contain chemistry optimised for reliability and durability. So, even after 1,500 charging cycles – equivalent to around 4 years of use – the battery still operates at over 80% capacity.





# The perfect match for a STIGA machine

Powered by  
**STIGA**

In the last years, STIGA started to develop its own engines, to equip walk-behind lawn mowers, garden tractors and front mowers. The engines are not only designed to fit STIGA machines in terms of style and dimensions: the engines' performance and torque curve are specifically developed to match the machine they equip and the kind of work it needs to manage in the garden.

STIGA engines enhance the machines' performances on the lawn, because they are studied to make the machine give its best in any working condition. The machines equipped with STIGA engines are the market leader garden tractors, walk-behinds and front mowers.



## STIGA engines for winter applications

The right torque to easily tackle light snow falls as well as snow blizzards. Power which never stops – not even at  $-30^{\circ}\text{C}$ . Integrated seal-type insulation design can keep the cold away and ensures engine works in perfect condition even in low temperature and heavy snow environment.

## Extended warranty!

Since 2022 it is possible to extend the warranty on all STIGA engines. Your customer can activate the warranty extension by registering the product on the STIGA website within 30 days from purchase date.

**Remember to tell your customers to register the STIGA product to activate the warranty.**





STIGA

# 2023 Product range

## **20 STIGA Clusters**

---

### **22 Robot mowers**

---

- 26 Autonomous robot mowers
- 27 Wire-guided robot mowers

### **28 Lawn mowers**

---

- 35 Battery lawn mowers
- 42 Petrol lawn mowers
- 50 Corded lawn mowers

### **52 Axial mowers**

---

- 57 Battery lawn mowers

### **58 Lawn tractors**

---

- 64 Battery lawn tractors
- 68 Petrol lawn tractors

### **74 Front mowers**

---

- 78 Petrol lawn tractors

## **82 Hand-held tools**

---

### **88 Brushcutters**

- 88 Battery brushcutters
- 90 Petrol brushcutters

### **94 Hedge trimmers**

- 94 Battery hedge trimmers
- 96 Petrol hedge trimmers

### **98 Chainsaws**

- 98 Battery chainsaws
- 100 Petrol chainsaws

### **102 Blowers**

- 102 Battery blowers
- 104 Petrol blowers

### **106 Multi-tools**

- 106 Battery multi-tool
- 107 Petrol multi-tool
- 108 Battery Multi-mate

## **110 Cleaning**

---

### **112 Sweepers**

- 114 High-pressure cleaners

## **116 Snow throwers**

---

- 121 Battery snow throwers
- 122 Petrol snow throwers

## **124 Soil and ground care**

---

### **126 Scarifier**


- 128 Chippers and shredders
- 129 Tillers

## **130 STIGA.GO APP**

---

### **130 Dealer app**

- 131 Consumer app





## Expert

STIGA Expert garden tools feature the latest, most innovative technology.

Reaching the peak of engineering perfection, customised performance and ergonomic design. Every tool meets the demands of the most green-fingered gardeners – efficiently and effortlessly.

- Durable tools
- Superior power output
- For really intense working environment
- Customisable performance
- Most responsive control



## Experience

STIGA Experience is a step-up in lasting power and comfort. Offering an extensive range of reliable, robust tools with extended runtime and improved features.

The Experience tools make light work of tougher conditions or larger gardens.

- Robust tools
- Tougher jobs
- Prolonged session
- Diversified work



## Essential

If you're new to gardening, or need to do it quick, STIGA Essential keeps things simple.

Easy to start and lightweight, these garden tools make moving around easy – but still punch above their weight on cutting performance.

Giving the smart, precise finish you want, faster.

- Lightweight tools
- Easy to start, adjust, use, clean and store
- Simple and intuitive functions



# Robot mowers

# Flexible virtual border

There's no physical limits. There's no physical set-up - no pegging or digging. And because it's virtual, it's hassle-free to adjust when you change your garden layout, or need to adjust boundaries due to vegetation growth.



# Naturally healthier lawns

STIGA knows that organised cutting patterns with regular changes in direction will nurture healthier, lusher lawns that look and feel better.


# Guided by Artificial Intelligence

STIGA's patented AGS (Active Guidance System) 'learns and maps' the dynamics of your garden along with the patterns of GPS Satellite blindspots as they move throughout the day.



# Autonomous robot mowers

The first robot mower to bring predictive AGS to gardens. True autonomy. Naturally healthier lawns.



# Wire-guided robot mowers

Properly nurturing lawn health in just two cutting sessions a day.



**STIGA Connectivity**  
Discover more at page 132-133

# Loves lawn's health. Loves lawn's time.



## Expert



The most featured wireless robot mower with predictive satellite mapping.

## Experience

The first wireless robot mower with predictive satellite mapping.

## Essential

The first step into the STIGA robot mowers family.



Up to 5.000 sqm

Up to 1.500 sqm

Up to 1.200 sqm



ePower battery up to 10 Ah

ePower battery up to 5 Ah

ePower battery up to 5 Ah



Wireless installation via App  
Full remote control via App  
Automatic cutting height adjustment  
Easy and intuitive user interface  
External shell removable & washable

Wireless installation via App  
Full remote control via App  
Electronic cutting height adjustment via App  
Easy and intuitive user interface  
External shell removable & washable

Spot cut mode  
External shell removable & washable  
Easy and intuitive user interface



Active Guidance System  
Organised cut  
Up to 50% (27°) slope management  
Virtual sub-zone management  
Advanced tyre tread  
Automatic short path (Back-home function)

Active Guidance System  
Organised cut  
Up to 45% (24°) slope management  
Virtual sub-zone management  
Automatic short path (Back-home function)

Random cut  
Up to 45% (24°) slope management  
Go-To-Cut points technology

A 5000  
A 3000

A 1500

G 1200  
G 600  
G 300

### What's my name?

A = Autonomous // G = Wire-guided // 300 - 5000 = sqm

## MOWING

# Autonomous robot mowers



<b>Autonomous</b>	<b>A 5000</b>	<b>A 3000</b>	<b>A 1500</b>
Level	<b>Expert</b>	<b>Expert</b>	<b>Experience</b>
<b>POWER</b>			
Battery capacity	2 X 5 Ah	5 Ah	5 Ah
Maximum working time	270 min	150 min	150 min
Motor type	Brushless	Brushless	Brushless
Maximum working area	5000 m <sup>2</sup>	3000 m <sup>2</sup>	1500 m <sup>2</sup>
<b>CUTTING SYSTEM</b>			
Cutting method	Organized	Organized	Organized
Cutting width	26 cm	26 cm	18 cm
Cutting height range	20 - 65 mm	20 - 65 mm	20 - 60 mm
Cutting height adjustment	Electronic	Electronic	Electronic
Cutting height on a zone	Yes	Yes	No
Smart cutting height adjustment	Yes	Yes	Upgradable
Blade type	6 Pivoting blades	6 Pivoting blades	4 Pivoting blades
Blade speed	2400 rpm	2400 rpm	2850 rpm
Rain sensors	Yes	Yes	Yes
Maximum slope	50%	50%	45%
<b>NAVIGATION AND DEVICES</b>			
APP Control	4G	4G	4G
Virtual zone exclusion	Yes	Yes	Yes
Grass care organized cut	Yes	Yes	Yes
Back to charge	Automatic short path	Automatic short path	Automatic short path
<b>STANDARD EQUIPMENT AND INSTALLATION</b>			
Reference GPS antenna	Included	Included	Included
Docking station	Yes	Yes	Yes
Base protection cover	-	-	Optional
<b>PRODUCT SAFETY</b>			
Obstacle detection sensors	Yes	Yes	Yes
Obstacle notification	Yes	Yes	Upgradeable
Lift sensor	Yes	Yes	Yes
Theft alert	Yes	Yes	Yes
Art. N.	2R9106028/ST1	2R9102028/ST1	2R7102028/ST1
Battery kit included			

The technology of the robot is based on data communication between the STIGA Cloud and the robot itself. The subscription fee is mandatory for Autonomous robot mowers to work and depends on the amount of data required.

MOWING

# Wire-guided robot mowers



Wire-guided	G 1200	G 600	G 300
Level	Essential	Essential	Essential
<b>POWER</b>			
Battery capacity	5 Ah	2.5 Ah	2 Ah
Maximum working time	150 min	90 min	60 min
Motor type	Brushless	Brushless	Brushless
Maximum working area	1200 m <sup>2</sup>	600 m <sup>2</sup>	300 m <sup>2</sup>
<b>CUTTING SYSTEM</b>			
Cutting method	Random	Random	Random
Go-to-Cut points	5	3	1
Cutting width	18 cm	18 cm	18 cm
Cutting height range	20 - 60 mm	20 - 60 mm	20 - 60 mm
Blade type	4 Pivoting blades	4 Pivoting blades	4 Pivoting blades
Blade speed	2850 rpm	2850 rpm	2850 rpm
Eco-mode	Yes	No	No
Rain sensors	Yes	Yes	No
Maximum slope	45%	45%	45%
<b>NAVIGATION AND DEVICES</b>			
APP Control	Bluetooth	Bluetooth	Bluetooth
User interface	Keypad	Keypad	Keypad
Back to charge	On wire / Run Beside Wire (RBW)	On wire / Run Beside Wire (RBW)	On wire
<b>STANDARD EQUIPMENT AND INSTALLATION</b>			
Installation wire length	Not included	Not included	100 m
Fixing nails	7	7	200
Connectors	2	2	4
Docking station	Yes	Yes	Yes
Base protection cover	Optional	Optional	Optional
<b>PRODUCT SAFETY</b>			
Obstacle detection sensors	Yes	Yes	Yes
Lift sensor	Yes	Yes	Yes
Theft alert	Yes	Yes	Yes
Art. N.	2R3102018/ST2	2R3101018/ST2	2R3101118/ST1
Battery kit included			

# Lawn mowers



Our STIGA Fulcrum introduces a handle concept. It is easy to assemble, easy to fold, easy to operate and manoeuvre and finally, easy to store. Height and angle, pitch and yaw adjustable – one handle to suit exactly every consumer – that is unique!

## Laterally adjustable

The handle can be adjusted on the to the left hand-side by 25°, allowing the user to mow closer to walls and hedges.

## Sturdiness

The lower part of the handle, closer to the deck, is designed to absorb vibrations coming from the deck itself and to enhance the comfort feeling of the user.

## Rotatory folding

Storing and opening the mower to start working has never been easier! With a simple rotative movement, the handle can be closed and stored in few space.

## Easy to assemble

Assembling the handle on a lawn mower can really be hard and time-consuming. STIGA Fulcrum is easy and intuitive, also in its assembly.



# Multiclip

Iconic mulching quality with STIGA patented blades.

- Cutting width from 45 to 48 cm
- STIGA patented Multiclip blades
- Available power sources: battery and petrol



# Twinclip

Superior cutting and collecting performance with maximum comfort and impressive endurance.

- Cutting width from 48 to 53 cm
- Double-edged STIGA Twinclip blade
- Available power sources: battery and petrol

# Combi

Maximum versatility, offering 3 or 4 cutting possibilities in one machine.

- Cutting width from 34 to 53 cm
- Ergonomically-designed for comfort
- Available power sources: battery, electric and petrol



# Collector

Designed for optimal grass cutting and collecting.

- Cutting width from 30 to 46 cm
- Sturdy grass catchers for maximum capacity
- Available power sources: battery and petrol



# Aero

The lightest cordless mower to glide on air.

- Patented STIGA cutting deck
- For lawns up to 100 sqm
- Simplified storage



# Battery lawn mowers



## Redesigning the whole lawn mowing experience.

STIGA battery lawn mowers are not only eco-friendly, but also quiet, cordless and low maintenance.

Limited noise also means limited vibrations, allowing you to work on your garden in peace and comfort, without compromising on performance.

	Expert	Experience	Essential
	Strong, high-performing	Robust and comfortable	Compact, lightweight, easy-to-use
	Up to 1.300 sqm	Up to 800 sqm	Up to 400 sqm
	Galvanised steel decks, up to 55 cm	Steel/galvanised steel decks, up to 53 cm	Plastic decks, up to 44 cm
	<ul style="list-style-type: none"> <li>Electric start</li> <li>Speed variator</li> <li>Fulcrum handle with rotatory folding for easy storage</li> <li>Centralized cutting height adjustment</li> <li>Grass bag with "full" indicator</li> </ul>	<ul style="list-style-type: none"> <li>Electric start</li> <li>Speed variator available on selected models</li> <li>CORE handle with rotatory folding for easy storage</li> <li>Centralized cutting height adjustment</li> <li>Grass bag with "full" indicator</li> </ul>	<ul style="list-style-type: none"> <li>Electric start</li> <li>Lightweight</li> <li>Straight handle</li> <li>Centralized cutting height adjustment</li> </ul>
	Self-propelled	Push and self-propelled	Push Hover mower
	Ergonomic	Fulcrum handle	Straight
	<ul style="list-style-type: none"> <li>Twinclip 950e V</li> <li>Twinclip 950e VR</li> </ul>	<ul style="list-style-type: none"> <li>Multiclip 747e V</li> <li>Combi 748e V</li> <li>Combi 753e V</li> <li>Collector 543e</li> <li>Collector 548e S</li> <li>Multiclip 547e</li> <li>Multiclip 547e S</li> <li>Multiclip 547 AE</li> <li>Collector 548 AE</li> <li>Collector 543 AE</li> </ul>	<ul style="list-style-type: none"> <li>Combi 336e</li> <li>Combi 340e</li> <li>Combi 344e</li> <li>Collector 132e</li> <li>Collector 136e</li> <li>Collector 140e</li> <li>Aero 132e</li> </ul>

### What's my name?

# Petrol lawn mowers



**Highest-level performance, giving the cutting precision you need.**

Whether you want to simply collect as you mow, mulch the clippings back into the lawn, or prefer a model with side or rear discharge. Whichever system works best for your garden, the STIGA range of petrol lawn mowers all perform at the highest level – giving the power and cutting precision you need.

## Expert



Top-performing and strong

## Experience

Tough and resistant

## Essential

Compact and easy to use



For gardens up to 2.500 sqm

For gardens up to 1.800 sqm

For gardens up to 1500 sqm



Steel/galvanised steel decks, up to 55 cm  
Specific blades for each cutting method

Steel/galvanised steel decks, up to 53 cm  
Specific blades for each cutting method

Steel/galvanised steel decks, up to 46 cm  
Specific blades for each cutting method



Electric start (on some models)  
Speed variator  
Fulcrum handle with rotatory folding for easy storage  
Centralized cutting height adjustment  
Grass bag with "full" indicator

Electric start (on some models)  
Speed variator (on some models)  
Fulcrum handle with rotatory folding for easy storage  
Centralized cutting height adjustment  
Grass bag with "full" indicator

Adjustable handle (on some models)  
Centralized cutting height adjustment (on some models)



Self-propelled

Push-and self-propelled

Push-and self-propelled



New Fulcrum handle on Combi and Multiclip models

New Fulcrum handle

Combi 955 V  
Combi 955 VE

Twinclip 950 V  
Twinclip 955 VE  
Twinclip 950 VR  
Twinclip 955 VR

Multiclip 950 VE

Combi 748 S  
Combi 748 SE  
Combi 748V  
Combi 753 S  
Combi 753 SE  
Combi 753 V

Multiclip 747 SD  
Multiclip 750 S

Combi 548 SE  
Combi 553 S  
Combi 553 SE

Collector 548 S  
Collector 543 S

Multiclip 547  
Multiclip 547 D  
Multiclip 547 S

Collector 48 S  
Collector 43  
Multiclip 47  
Multiclip 47 S

### What's my name?

S = Self propelled // V = Self propelled + speed Variator // D = Side Discharge // E = Electric start



# Battery lawn mowers



Multiclip	747e V Kit	547e S Kit	547e Kit	547 AE Kit
Level	Experience	Experience	Experience	Experience
Series	7	5	5	5
<b>POWER</b>				
Power source	Lithium-ion battery	Lithium-ion battery	Lithium-ion battery	
Battery voltage	48V	48V	48V	
Battery capacity	2 x 4 Ah	2 x 4 Ah	4 Ah	
<b>DRIVING</b>				
Driving	Self-propelled	Self-propelled	Push	
Wheels	180/180 mm grooved wheels on ball bearings with soft tread	180/180 mm grooved wheels on ball bearings with soft tread	180/180 mm grooved wheels on ball bearings with soft tread	
<b>MOWING</b>				
Cutting width	45 cm	45 cm	45 cm	
Cutting method	Mulching	Mulching	Mulching	
Maximum working area	800 m <sup>2</sup>	800 m <sup>2</sup>	500 m <sup>2</sup>	
Maximum working time	40'	40'	25'	
Cutting height adjustment	Centralized	Centralized	Centralized	
Cutting height positions	5 positions	5 positions	5 positions	
Cutting height range	31 - 80 mm	31 - 80 mm	31 - 80 mm	
<b>COMFORT</b>				
Deck material	Galvanized steel	Steel	Steel	
Handlebar type	Fulcrum + keypad and soft grip	Fulcrum + soft grip	Fulcrum + soft grip	
Adjustable handlebar	Yes	Yes	Yes	
Foldable handlebar	Yes	Yes	Yes	
Front handle	Yes	Yes	Yes	
Product weight	TBC	22 kg	22 kg	
Art. N.	298473278/ST1	298472058/ST1	298471058/ST2	298471058/ST1
Battery kit included				

# Battery lawn mowers



Combi	753e V Kit	748e V Kit	344e Kit	340e Kit	336e Kit
Level	Experience	Experience	Essential	Essential	Essential
Series	7	7	3	3	3
POWER					
Power source	Lithium-ion battery	Lithium-ion battery	Lithium-ion battery	Lithium-ion battery	Lithium-ion battery
Battery voltage	48V	48V	48V	48V	48V
Battery capacity	2 x 5 Ah	2 x 4 Ah	5 Ah	4 Ah	2 Ah
DRIVING					
Driving	Self-propelled	Self-propelled	Push	Push	Push
Wheels	200/280mm grooved wheels on ball bearings with soft tread	200/280mm grooved wheels on ball bearings with soft tread	150/250 mm grooved wheels	150/250 mm grooved wheels	140/170 mm grooved wheels
MOWING					
Cutting width	51 cm	46 cm	42 cm	38 cm	34 cm
Cutting method	Collecting, Mulching, Side discharge, Rear discharge	Collecting, Mulching, Side discharge, Rear discharge	Collecting, Mulching, Rear discharge	Collecting, Mulching, Rear discharge	Collecting, Mulching, Rear discharge
Maximum working area	600 m <sup>2</sup>	550 m <sup>2</sup>	400 m <sup>2</sup>	350 m <sup>2</sup>	200 m <sup>2</sup>
Maximum working time	25'	25'	25'	25'	15'
Cutting height adjustment	Centralized	Centralized	Centralized	Centralized	Centralized
Cutting height positions	6 positions	6 positions	6 positions	6 positions	6 positions
Cutting height range	22 - 80 mm	22 - 80 mm	25 - 75 mm	25 - 75 mm	25 - 75 mm
Collector type	Hybrid with warn	Hybrid with warn	Textile	Textile	Textile
Collector capacity	60 L	60 L	50 L	40 L	35 L
Deck material	Galvanized steel	Galvanized steel	Polypropylene / ABS	Polypropylene / ABS	Polypropylene / ABS
COMFORT					
Handlebar type	Fulcrum + keypad and soft grip	Fulcrum + keypad and soft grip	Flat with cam locks and comfort switch + soft grip	Flat with cam locks and comfort switch + soft grip	Flat with cam locks and comfort switch + soft grip
Adjustable handlebar	Yes	Yes	Yes	Yes	Yes
Foldable handlebar	Yes	Yes	Yes	Yes	Yes
Front handle	Yes	Yes	Yes	Yes	Yes
Product weight	31 kg	29 kg	15 kg	14 kg	12 kg
Art. N. Battery kit included	2L0537978/ST1	2L0487978/ST1	294426068/ST2	294386068/ST2	294346068/ST2



<b>Twinclick</b>	<b>950e VR Kit</b>	<b>950e V Kit</b>
Level	<b>Expert</b>	<b>Expert</b>
Series	<b>9</b>	<b>9</b>
<b>POWER</b>		
Power source	Lithium-ion battery	Lithium-ion battery
Battery voltage	48V	48V
Battery capacity	2 x 7.5 Ah	2 x 7.5 Ah
<b>DRIVING</b>		
Driving	Self-propelled	Self-propelled
Wheels	200/ROLLER grooved wheels on ball bearings	210/240 mm grooved aluminum wheels on ball bearings
<b>MOWING</b>		
Cutting width	48 cm	48 cm
Cutting method	Collecting	Collecting, Mulching, Side discharge, Rear discharge
Maximum working area	950 m <sup>2</sup>	1100 m <sup>2</sup>
Maximum working time	35'	40'
Cutting height adjustment	Centralized	Centralized
Cutting height positions	8 positions	7 positions
Cutting height range	13 - 65 mm	25 - 77 mm
Collector type	Textile	Textile (plug-in) with warn
Collector capacity	80 L	70 L
Deck material	Galvanized steel	Galvanized steel
<b>COMFORT</b>		
Handlebar type	Ergonomic 25 mm adj. by button with keypad + soft grip	Ergonomic 25 mm adj. by button with keypad + soft grip
Adjustable handlebar	Yes	Yes
Foldable handlebar	Yes	Yes
Front handle	Yes	Yes
Product weight	41 kg	42 kg
Art. N.	294519198/ST1	294513998/ST1
Battery kit included		

# Battery lawn mowers



Collector	548e S Kit	543e Kit	548 AE Kit	543 AE Kit
Level	Experience	Experience	Experience	Experience
Series	5	5	5	5
POWER				
Power source	Lithium-ion battery	Lithium-ion battery		
Battery voltage	48V	48V		
Battery capacity	2 x 4 Ah	4 Ah		
DRIVING				
Driving	Self-propelled	Push		
Wheels	200/280mm grooved wheels on ball bearings with soft tread	200/200mm grooved wheels on ball bearings with soft tread		
MOWING				
Cutting width	46 cm	41 cm		
Cutting method	Collecting, Rear discharge	Collecting, Rear discharge		
Maximum working area	550 m <sup>2</sup>	400 m <sup>2</sup>		
Maximum working time	25'	22'		
Cutting height adjustment	Centralized	Centralized		
Cutting height positions	6 positions	6 positions		
Cutting height range	22 - 80 mm	22 - 65 mm		
Collector type	Hybrid with warn	Hybrid with warn		
Collector capacity	60 L	60 L		
Deck material	Steel	Steel		
COMFORT				
Handlebar type	Fulcrum + soft grip	Fulcrum + soft grip		
Adjustable handlebar	Yes	Yes		
Foldable handlebar	Yes	Yes		
Front handle	Yes	Yes		
Product weight	29 kg	23 kg		
Art. N.	2L0486008/ST1	2L0431008/ST2	2L0485808/ST1	2L0431008/ST1
Battery kit included				



140e Kit	136e Kit	132e Kit
Essential	Essential	Essential
1	1	1
Lithium-ion battery	Lithium-ion battery	Lithium-ion battery
20V	20V	20V
2 x 4 Ah	2 x 2 Ah	4 Ah
Push	Push	Push
140/170 mm grooved wheels	140/170 mm grooved wheels	140/140 mm grooved wheels
38 cm	34 cm	30 cm
Collecting	Collecting	Collecting
350 m <sup>2</sup>	250 m <sup>2</sup>	150 m <sup>2</sup>
25'	15'	20'
Centralized	Centralized	On axles
6 positions	6 positions	3 positions
25 - 75 mm	25 - 75 mm	30 - 70 mm
Hybrid	Hybrid	Plastic
40 L	35 L	30 L
Polypropylene	Polypropylene	Polypropylene
Ergonomic with double hand switch and cam locks + soft grip	Ergonomic with double hand switch and cam locks + soft grip	Flat with single hand switch
Yes	Yes	Yes
Yes	Yes	Yes
Yes	Yes	Yes
12.26 kg	11.75 kg	8.79 kg
291382068/ST2	291342068/ST2	291302068/ST2



**STIGA**

*Aero*



## Aero

## 132e Kit

Level	Essential
Series	1
<b>POWER</b>	
Power source	Lithium-ion battery
Battery voltage	20V
Battery capacity	2 x 4 Ah
<b>DRIVING</b>	
Driving	Push
Wheels	-
<b>MOWING</b>	
Cutting width	30 cm
Cutting method	Mulching
Maximum working area	100 m <sup>2</sup>
Maximum working time	10'
Cutting height adjustment	No
Cutting height positions	No
Cutting height range	No
Deck material	Polypropylene
<b>COMFORT</b>	
Handlebar type	Ergonomic with double hand switch and cam locks + soft grip
Foldable handlebar	No
Front handle	No
Product weight	8.79 kg
Art. N.	298302068/ST1
Battery kit included	

# Petrol lawn mowers



<b>Multiclip</b>	<b>950 VE</b>	<b>750 S</b>	<b>747 SD</b>	<b>547 S</b>
Level	<b>Expert</b>	<b>Experience</b>	<b>Experience</b>	<b>Experience</b>
Series	<b>9</b>	<b>7</b>	<b>7</b>	<b>5</b>
<b>POWER</b>				
Power source	Petrol	Petrol	Petrol	Petrol
Engine brand	STIGA	STIGA	STIGA	STIGA
Engine model	ST 200 LS OHV Autochoke	ST 170 OHV Autochoke	ST 140 OHV Autochoke	ST 120 OHV Autochoke
Displacement	196 cc	166 cc	139 cc	123 cc
Engine rotation speed	2900 rpm	2900 rpm	2900 rpm	2900 rpm
Fuel tank capacity	0.90 L	1 L	0.75 L	0.75 L
Engine Oil tank capacity	0.50 L	0.55 L	0.50 L	0.50 L
<b>DRIVING</b>				
Driving	Self-propelled	Self-propelled	Self-propelled	Self-propelled
Wheels	210/210mm grooved wheels on ball bearings with soft tread	210/210mm grooved wheels on ball bearings with soft tread	180/180 mm grooved wheels on ball bearings with soft tread	180/180 mm grooved wheels on ball bearings with soft tread
<b>MOWING</b>				
Cutting width	48 cm	48 cm	45 cm	45 cm
Cutting method	Mulching	Mulching	Mulching, Side discharge	Mulching
Maximum working area	1700 m <sup>2</sup>	1700 m <sup>2</sup>	1500 m <sup>2</sup>	1500 m <sup>2</sup>
Cutting height adjustment	Centralized	Centralized	Centralized	3 levers
Cutting height positions	5 positions	5 positions	5 positions	5 positions
Cutting height range	31 - 75 mm	31 - 75 mm	31 - 80 mm	31 - 80 mm
<b>COMFORT</b>				
Deck material	Galvanized steel	Galvanized steel	Galvanized steel	Steel
Handlebar type	Fulcrum + soft grip	Fulcrum + soft grip	Fulcrum + soft grip	Fulcrum + soft grip
Adjustable handlebar	Yes	Yes	No	Yes
Foldable handlebar	Yes	Yes	Yes	Yes
Front handle	Yes	Yes	Yes	No
Starter	Electric start by button	Recoil	Recoil	Recoil
Product weight	35 kg	34 kg	27 kg	25 kg
Art. N.	291503548/ST1	291502048/ST2	298472848/ST2	298472048/ST2



547 D	547	47 S	47
<b>Experience</b>	<b>Experience</b>	<b>Essential</b>	<b>Essential</b>
<b>5</b>	<b>5</b>		
Petrol	Petrol		
STIGA	STIGA		
ST 120 OHV Autochoke	ST 120 OHV Autochoke		
123 cc	123 cc		
2900 rpm	2900 rpm		
0.75 L	0.75 L		
0.50 L	0.50 L		
Push	Push		
180/180 mm grooved wheels on ball bearings with soft tread	180/180 mm grooved wheels on ball bearings with soft tread		
45 cm	45 cm		
Mulching, Side discharge	Mulching		
1500 m <sup>2</sup>	1500 m <sup>2</sup>		
4 levers	4 levers		
5 positions	5 positions		
31 - 80 mm	31 - 80 mm		
Steel	Steel		
Fulcrum + soft grip	Fulcrum + soft grip		
Yes	Yes		
Yes	Yes		
No	No		
Recoil	Recoil		
25 kg	23 kg		
298471848/ST2	298471048/ST2	298472048/ST1	298471048/ST1

# Petrol lawn mowers



Twinclick	955 VE	950 V	955 VR	950 VR
Level	<b>Expert</b>	<b>Expert</b>	<b>Expert</b>	<b>Expert</b>
Series	<b>9</b>	<b>9</b>	<b>9</b>	<b>9</b>
POWER				
Power source	Petrol	Petrol		
Engine brand	Honda	STIGA		
Engine model	GCVx170 OHV Autochoke	ST 200 OHV Autochoke		
Displacement	167 cc	196 cc		
Engine rotation speed	2900 rpm	2900 rpm		
Fuel tank capacity	0.95 L	1 L		
Engine Oil tank capacity	0.40 L	0.50 L		
DRIVING				
Driving	Self-propelled	Self-propelled		
Wheels	210/240mm grooved wheels on ball bearings	210/240mm grooved wheels on ball bearings		
MOWING				
Cutting width	53 cm	48 cm		
Cutting method	Collecting, Mulching, Side discharge, Rear discharge	Collecting, Mulching, Side discharge, Rear discharge		
Maximum working area	2500 m <sup>2</sup>	2000 m <sup>2</sup>		
Cutting height adjustment	Centralized	Centralized		
Cutting height positions	7 positions	7 positions		
Cutting height range	25 - 77 mm	25 - 77 mm		
Collector type	Textile (plug-in) with warn	Textile (plug-in) with warn		
Collector capacity	70 L	70 L		
Deck material	Galvanized steel	Galvanized steel		
COMFORT				
Handlebar type	Ergonomic 25 mm adj. by button + soft grip	Ergonomic 25 mm adj. by button + soft grip		
Adjustable handlebar	Yes	Yes		
Foldable handlebar	Yes	Yes		
Front handle	Yes	Yes		
Starter	Electric start by button	Recoil		
Product weight	47 kg	43 kg		
Art. N.	294563538/ST2	294513048/ST1	294569048/ST1	294519048/ST1

# Petrol lawn mowers



Collector	548 S	543 S	48 S	43
Level	Experience	Experience	Essential	Essential
Series	5	5		
POWER				
Power source	Petrol			
Engine brand	STIGA			
Engine model	ST 120 OHV Autochoke			
Displacement	123 cc			
Engine rotation speed	2900 rpm			
Fuel tank capacity	0.75 L			
Engine Oil tank capacity	0.50 L			
DRIVING				
Driving	Self-propelled			
Wheels	200/200mm grooved wheels on ball bearings with soft tread			
MOWING				
Cutting width	46 cm			
Cutting method	Collecting, Rear discharge			
Maximum working area	1200 m <sup>2</sup>			
Cutting height adjustment	Centralized			
Cutting height positions	6 positions			
Cutting height range	22 - 65 mm			
Collector type	Hybrid with warn			
Collector capacity	60 L			
Deck material	Steel			
COMFORT				
Handlebar type	Fulcrum + soft grip			
Adjustable handlebar	Yes			
Foldable handlebar	Yes			
Front handle	Yes			
Starter	Recoil			
Product weight	28 kg			
Art. N.	2L0482048/ST2	2L0432048/ST2	2L0482048/ST1	2L0431048/ST1

# Petrol lawn mowers



Combi	955 VE	955 V	753 V	753 SE
Level	<b>Expert</b>	<b>Expert</b>	<b>Experience</b>	<b>Experience</b>
Series	<b>9</b>	<b>9</b>	<b>7</b>	<b>7</b>
<b>POWER</b>				
Power source			Petrol	Petrol
Engine brand			Honda	STIGA
Engine model			GCVx170 OHV Autochoke	ST 170 LS OHV Autochoke
Displacement			167 cc	166 cc
Engine rotation speed			2900 rpm	2900 rpm
Fuel tank capacity			0.95 L	1 L
Engine Oil tank capacity			0.40 L	0.55 L
<b>DRIVING</b>				
Driving			Self-propelled	Self-propelled
Wheels			200/280mm grooved wheels on ball bearings with soft tread	200/280mm grooved wheels on ball bearings with soft tread
<b>MOWING</b>				
Cutting width			51 cm	51 cm
Cutting method			Collecting, Mulching, Side discharge, Rear discharge	Collecting, Mulching, Side discharge, Rear discharge
Maximum working area			1800 m <sup>2</sup>	1800 m <sup>2</sup>
Cutting height adjustment			Centralized	Centralized
Cutting height positions			6 positions	6 positions
Cutting height range			22 - 80 mm	22 - 80 mm
Collector type			Hybrid with warn	Hybrid with warn
Collector capacity			60 L	60 L
Deck material			Galvanized steel	Galvanized steel
<b>COMFORT</b>				
Handlebar type			Fulcrum + soft grip	Fulcrum + soft grip
Adjustable handlebar			Yes	Yes
Foldable handlebar			Yes	Yes
Front handle			Yes	Yes
Starter			Recoil	Electric start by button
Product weight			35 kg	33 kg
Art. N.	294557548/ST1	294557848/ST2	2L0537838/ST2	2L0536548/ST2



<b>753 S</b>	<b>748 V</b>	<b>748 SE</b>	<b>748 S</b>
<b>Experience</b>	<b>Experience</b>	<b>Experience</b>	<b>Experience</b>
<b>7</b>	<b>7</b>	<b>7</b>	<b>7</b>
Petrol	Petrol	Petrol	Petrol
STIGA	Honda	STIGA	STIGA
ST 170 OHV Autochoke	GCVx145 OHV Autochoke	ST 140 LS OHV Autochoke	ST 140 OHV Autochoke
166 cc	145 cc	139 cc	139 cc
2900 rpm	2900 rpm	2900 rpm	2900 rpm
1 L	0.95 L	0.90 L	0.75 L
0.55 L	0.40 L	0.50 L	0.50 L
Self-propelled	Self-propelled	Self-propelled	Self-propelled
200/280mm grooved wheels on ball bearings with soft tread	200/280mm grooved wheels on ball bearings with soft tread	200/280mm grooved wheels on ball bearings with soft tread	200/280mm grooved wheels on ball bearings with soft tread
51 cm	46 cm	46 cm	46 cm
Collecting, Mulching, Side discharge, Rear discharge			
1800 m <sup>2</sup>	1200 m <sup>2</sup>	1200 m <sup>2</sup>	1200 m <sup>2</sup>
Centralized	Centralized	Centralized	Centralized
6 positions	6 positions	6 positions	6 positions
22 - 80 mm			
Hybrid with warn	Hybrid with warn	Hybrid with warn	Hybrid with warn
60 L	60 L	60 L	60 L
Galvanized steel	Galvanized steel	Galvanized steel	Galvanized steel
Fulcrum + soft grip			
Yes	Yes	Yes	Yes
Yes	Yes	Yes	Yes
Yes	Yes	Yes	Yes
Recoil	Recoil	Electric start by button	Recoil
33 kg	33 kg	32 kg	30 kg
2L0536848/ST2	2L0487838/ST2	2L0486548/ST2	2L0486848/ST2

# Petrol lawn mowers



Combi	553 SE	553 S	548 SE
Level	Experience	Experience	Experience
Series	5	5	5
POWER			
Power source			
Engine brand			
Engine model			
Displacement			
Engine rotation speed			
Fuel tank capacity			
Engine Oil tank capacity			
DRIVING			
Driving			
Wheels			
MOWING			
Cutting width			
Cutting method			
Maximum working area			
Cutting height adjustment			
Cutting height positions			
Cutting height range			
Collector type			
Collector capacity			
Deck material			
COMFORT			
Handlebar type			
Adjustable handlebar			
Foldable handlebar			
Front handle			
Starter			
Product weight			
Art. N.	2L0536648/ST1	2L0536048/ST1	2L0482548/ST1



# Corded lawn mowers



<b>Combi</b>	<b>340c</b>	<b>336c</b>
Level	Essential	Essential
Series	3	3
<b>POWER</b>		
Power source	Electric	Electric
Power	1.6 KW	1.4 KW
<b>DRIVING</b>		
Driving	Push	Push
Wheels	150/250 mm grooved wheels	140/170 mm grooved wheels
<b>MOWING</b>		
Cutting width	38 cm	34 cm
Cutting method	Collecting, Mulching, Rear discharge	Collecting, Mulching, Rear discharge
Maximum working area	600 m <sup>2</sup>	400 m <sup>2</sup>
Cutting height adjustment	Centralized	Centralized
Cutting height positions	6 positions	6 positions
Cutting height range	25 - 75 mm	25 - 75 mm
Collector type	Textile	Textile
Collector capacity	40 L	35 L
Deck material	Polypropylene	Polypropylene
<b>COMFORT</b>		
Handlebar type	Flat with cam locks and comfort switch + soft grip	Flat with cam locks and comfort switch + soft grip
Adjustable handlebar	Yes	Yes
Foldable handlebar	Yes	Yes
Product weight	13 kg	11 kg
Art. N.	294380068/ST2	294340068/ST1

Lightweight, compact and easy-to-use in small, simple gardens where electric supply is close to the lawn. STIGA electric lawn mowers are perfect for the eco-conscious gardener.

## MOWING

# Push cylinder mowers



A neat, clean cut with no need of power source. Fully adjustable to suit user's height.

SCM	240 R	440 FS
Level	Essential	Essential
<b>POWER</b>		
Power source	Push	Push
<b>DRIVING</b>		
Driving	Push	Push
<b>MOWING</b>		
Cutting width	40 cm	40 cm
Cutting method	Cylinder (helical cut)	Cylinder (helical cut)
Maximum working area	50 m <sup>2</sup>	50 m <sup>2</sup>
Cutting height adjustment	2 levers	Centralized by lever
Cutting height positions	3 positions	9 positions
Cutting height range	25 - 60 mm	25 - 76 mm
Blade type	Helical	Helical
Blade material	Steel	Steel
Number of blades	5	5
Number of spiders	4	4
Grass ejection	Rear	Front
<b>COMFORT</b>		
Handlebar type	Free adaptable	Free adaptable
Product weight	10.50 kg	17.20 kg
Art. N.	290401208/s15	290401608/s15



Grass collector	SCM 240 R*	SCM 440 FS*
Collector type	Textile	Textile
Capacity	18 L	20 L
Product weight	0.80 kg	1.20 kg
Art. N.	290409218/s15	290409618/s15

\*Separately available

# Axial mowers



# STIGA drive-by-wire joystick technology

Intuitive and easy to manage. The whole driving system is extremely reactive and allows to govern machine's direction, steering and speed in one.

## STIGA Direct Drive

A unique STIGA technology: dual independent electric transmissions, equipping powerful motors with planetary gearbox. Up to 360° turning radius for unparalleled manoeuvrability. No uncut spot left. Equipped with a patented safety brake, blocking wheels and deck in case of emergency.





**STIGA Connectivity**  
Discover more at page 132-133



# Gyro

## Iconic mulching quality with STIGA patented blades.

Steering, acceleration, speed with a single touch of the electronic state-of-the-art drive control. Manoeuvrability is simply unprecedented. STIGA cutting excellence is guaranteed, thanks to specifically-developed cutting decks.

A powerful STIGA ePower battery pack boosts the performances, even for the largest gardens.



### Expert

### Experience

	Easy to control, energy-efficient and highly productive	The best job, performed in the shortest time.
	12.000 sqm Rear discharge Mulching (as optional)	5.000-8.000 sqm Side discharge
	STIGA ePower battery pack 105 Ah with 21700 cells	STIGA ePower battery pack 40 Ah - 65 Ah
	Armrest with handle STIGA Blade speed mode with 4 settings (including Automatic cut mode) STIGA Electronic speed control with 3 settings LED headlights Adjustable seat with dual parallel suspension LED status indicators on dashboard Electronic cutting height adjustment with 8 settings Optional comfort pack	Armrest with handle STIGA Blade speed mode with 3 settings STIGA Electronic speed control (7 Series) LED headlights Adjustable seat with dual parallel suspension LED status indicators on dashboard
	STIGA eMotion technology	STIGA eMotion technology
	Bluetooth connectivity USB plug Textile pockets	Bluetooth connectivity USB plug Textile pockets
	Gyro 900e	Gyro 500e Gyro 700e



# Battery axial mowers



<b>Gyro</b>	<b>900e</b>	<b>700e</b>	<b>500e</b>
Level	<b>Expert</b>	<b>Experience</b>	<b>Experience</b>
Series	<b>9</b>	<b>7</b>	<b>5</b>
<b>POWER</b>			
Power source	Lithium-ion battery	Lithium-ion battery	Lithium-ion battery
Battery voltage	48V	48V	48V
Battery capacity	105 Ah	64 Ah	40 Ah
Power	5300 Wh	3300 Wh	2000 Wh
<b>MOWING</b>			
Main cutting method	Rear discharge	Side discharge	Side discharge
Cutting width	125 cm	108 cm	98 cm
Cutting height positions	stepless	8 positions	8 positions
Cutting height range	25 - 135 mm	25 - 105 mm	25 - 105 mm
Cutting height adjustment	Electric	Manual	Manual
Maximum working area	13,000 m <sup>2</sup>	8,000 m <sup>2</sup>	5,000 m <sup>2</sup>
Maximum working time	N.A.	1h 50m	1h 20m
Transmission method	Drive-by-wire	Drive-by-wire	Drive-by-wire
Transmission type	STIGA eMotion (Drive-By-Wire)	STIGA eMotion (Drive-By-Wire)	STIGA eMotion (Drive-By-Wire)
Traction	Rear-wheel drive	Rear-wheel drive	Rear-wheel drive
Maximum speed forward	13 Km/h	12 Km/h	11 Km/h
Minimum uncut radius	0	0	0
Bluetooth connectivity	Yes as standard	Yes as standard	Yes as standard
Maximum slope	15°	15°	15°
<b>COMFORT</b>			
Seat type	Comfort with high back support - adjustable under weight	Comfort with high back support	Comfort with high back support
Rear wheel size	20x10.00-10	18x8.50-8	18x8.50-8
Front wheel size	13x5.00-6	11x4.00-4	11x4.00-4
Dashboard	Yes with Display	Yes with Led	Yes with Led
Headlights	Led	Led	Led
Art. N.	2F7064705/ST1	2F7063605/ST1	2F7062505/ST1
Battery kit included			

# Lawn tractors





## Fingertip-controlled

No more levers – and no more mechanical operations. The intuitive STIGA dashboard lets you manage all the machine's functions in just a few taps while you're in the driver's seat.

## For very big lawns

The collecting model Estate 798e can mow up to 7000 sqm on one charge – the largest working area covered for an electric collecting tractor.

The side-discharge model, Tornado 7108e, can cover up to 7500 sqm.



# Estate

The collecting tractors to cope with expansive green are where lawn collection is key.

- Cutting width from 84 to 102 cm
- Collecting capacity up to 360 L
- Available power sources: battery and petrol



# Tornado

The side discharge tractor to face cutting rough and overgrown grass.

- Cutting width from 98 to 121 cm
- Available power sources: battery and petrol



# Combi

The easiest ride-on mowers to care of small lawns.

- Cutting width from 66 to 72 cm
- Available power source: petrol



# Swift

The first ride-on mower that runs on shareable ePower 48V batteries.



## The nimblest

Only 73.5cm wide, it handles narrow gaps with ease. Its tight outer turning radius gets close to obstacles, while the short wheelbase nimbly steers around them to avoid damaging the machine.



## Shareable ePower batteries

Swift is the only ride-on mower that shares its batteries with a whole range of STIGA garden tools. The 48V ePower batteries can be used on all hand-held tools from the 3, 5, 7 and 9 Series.





**STIGA Connectivity**  
Discover more at page 132-133



# Battery lawn tractors

## Experience

## Essential



Innovative, comfortable, easy  
Tractor available in both collecting  
and side discharge versions.

Innovative, comfortable, easy



4.000-7.500 sqm

2.000-3.500 sqm



Driven by STIGA ePower

Driven by STIGA ePower



Standard seat  
Soft-grip 4-spoke steering wheel  
Cruise control  
Functions are all electrified on 7  
Series  
STIGA blade speed function  
LED headlights

Standard seat  
Soft-grip 4-spoke steering wheel  
Cruise control  
STIGA blade speed function  
LED headlights



STIGA electric transmission  
STIGA One Pedal Drive

STIGA electric transmission  
STIGA One Pedal Drive



Bluetooth module to connect  
with STIGA.GO app  
Fast battery charger included as  
standard

Bluetooth module to connect  
with STIGA.GO app  
Fast battery charger included as  
standard

Estate 798e  
Tornado 7108e

Estate 384e  
Tornado 398e

Estate 584e  
Tornado 598e

Swift 372e

# Petrol lawn tractors



## Expert



High-performing and highly specific

## Experience

Robust, but also flexible

## Essential

Compact, simple and convenient



7000 - 9500 sqm

3500-7000 sqm

1500-5000 sqm



Powered by pro-grade engines

Powered by STIGA single - and twin-cylinder engines

Powered by STIGA single-cylinder engines



Seat with high-back support and armrests  
Soft-grip 4-spoke steering wheel  
Cruise control  
Smart widescreen display with STIGA  
Best Cutting Zone function  
LED headlights

4-spoke steering wheel (with soft grip in the 7 Series)  
LED headlights

Standard seat and 3 - or 4 - spoke steering wheel



Hydrostatic transmission  
4WD on top-models

Hydrostatic transmission

Mechanical or hydrostatic transmission



Heavy-duty cutting decks up to 122 cm

Cutting decks up to 108 cm

Cutting decks up to 98 cm

Estate 9102 W  
Estate 9102 WX  
Estate 9122 W

Tornado 9121 W

Estate 792  
Estate 792 W  
Estate 7102 W  
Tornado 7108 W

Estate 598  
Estate 598 W  
Tornado 5108  
Tornado 5108 W

Combi 372  
Estate 384 M  
Estate 384  
Tornado 398 M  
Tornado 398

Combi 166

### What's my name?

M = Mechanical transmission // W = Twin cylinder engine // X = 4 wheel drive

## MOWING

# Battery tractors



<b>Estate</b>	<b>798e</b>	<b>584e</b>	<b>384e</b>
Level	<b>Experience</b>	<b>Experience</b>	<b>Essential</b>
Series	<b>7</b>	<b>5</b>	<b>3</b>
<b>POWER</b>			
Power source	Lithium-ion battery	Lithium-ion battery	Lithium-ion battery
Battery voltage	48V	48V	48V
Battery capacity	64 Ah	40 Ah	30 Ah
Battery charger	Single fast	Single fast	Single fast
Charging system	External charger	External charger	External charger
Charging time	3h 30m	2h 45m	2h
Transmission method	Pedal-operated	Pedal-operated	Pedal-operated
Transmission type	Electric	Electric	Electric
<b>MOWING</b>			
Cutting method	Collecting	Collecting	Collecting
Cutting width	98 cm	84 cm	84 cm
Cutting height adjustment	Electric	Manual with lever	Manual with lever
Cutting height positions	Variable	7 positions	7 positions
Cutting height range	25 - 80 mm	25 - 80 mm	25 - 80 mm
Blade engagement type	Electric	Electric	Electric
Blade type	Winged	Winged	Winged
Maximum working area	7000 m <sup>2</sup>	4000 m <sup>2</sup>	3000 m <sup>2</sup>
Maximum working time	1h 50m	1h 20m	1h
Mulching kit	Optional	Optional	Optional
Front wheel size	15x6.00-6	15x6.00-6	15x6.00-6
Rear wheel size	18x8.50-8	18x8.50-8	18x8.50-8
Number of blades	2	2	2
Reverse mowing	Yes	Yes	Yes
<b>COMFORT</b>			
Dashboard	Yes with display	Yes with LED	Yes with LED
Headlights	Led	Led	Led
Washing link	Yes	Yes	Yes
Bluetooth connectivity	Yes as standard	Yes as standard	Yes as standard
USB plug	1	1	1
Art. N.	2T2800481/ST2	2T2205481/ST2	2T2200481/ST2
Battery kit included			

## MOWING

# Battery tractors




<b>Tornado</b>	<b>7108e</b>	<b>598e</b>	<b>398e</b>
Level	<b>Experience</b>	<b>Experience</b>	<b>Essential</b>
Series	<b>7</b>	<b>5</b>	<b>3</b>
<b>POWER</b>			
Power source	Lithium-ion battery	Lithium-ion battery	Lithium-ion battery
Battery voltage	48V	48V	48V
Battery capacity	64 Ah	40 Ah	30 Ah
Battery charger	Single fast	Single fast	Single fast
Charging system	External charger	External charger	External charger
Charging time	3.5 h	2.45 h	2 h
Transmission method	Pedal-operated	Pedal-operated	Pedal-operated
Transmission type	Electric	Electric	Electric
<b>MOWING</b>			
Cutting method	Side discharge	Side discharge	Side discharge
Cutting width	108 cm	98 cm	98 cm
Cutting height adjustment	Electric	Manual with lever	Manual with lever
Cutting height positions	Variable	7 positions	7 positions
Cutting height range	25 - 80 mm	25 - 80 mm	25 - 80 mm
Blade engagement type	Electric	Electric	Electric
Blade type	Mulching	Mulching	Mulching
Maximum working area	7500 m <sup>2</sup>	4500 m <sup>2</sup>	3500 m <sup>2</sup>
Maximum working time	1h 50m	1h 20m	1h
Mulching kit	Optional	Optional	Optional
Front wheel size	15x6.00-6	15x6.00-6	15x6.00-6
Rear wheel size	18x8.50-8	18x8.50-8	18x8.50-8
Number of blades	2	2	2
Reverse mowing	Yes	Yes	Yes
<b>COMFORT</b>			
Dashboard	Yes with display	Yes with LED	Yes with LED
Headlights	Led	Led	Led
Washing link	Yes	Yes	Yes
Bluetooth connectivity	Yes as standard	Yes as standard	Yes as standard
USB plug	1	1	1
Art. N.	2T1270481/ST2	2T0665481/ST2	2T0660481/ST2
Battery kit included			



## Swift

**372e**

Level	<b>Experience</b>
Series	<b>3</b>
<b>POWER</b>	
Power source	Lithium-ion battery
Battery voltage	48V
Battery capacity	2 x 5 Ah + 2 x 7,5 Ah
Battery charger	Dual fast
Charging system	External charger
Charging time	3 h
Transmission method	Pedal-operated
Transmission type	Electric
<b>MOWING</b>	
Cutting method	Collecting
Cutting width	72 cm
Cutting height adjustment	Manual with lever
Cutting height positions	6 positions
Cutting height range	30 - 80 mm
Blade engagement type	Electric
Blade type	Winged - Mulching
Maximum working area	2000 m <sup>2</sup>
Maximum working time	45m
Mulching kit	Optional
Front wheel size	13x5.00-6
Rear wheel size	15x6.00-6
Number of blades	2
Reverse mowing	Yes
<b>COMFORT</b>	
Dashboard	Yes with LED
Headlights	Led
Washing link	Yes
Bluetooth connectivity	Yes as standard
USB plug	1
Art. N.	2T0250481/ST1
Battery kit included	





# Petrol tractors



<b>Tornado</b>	<b>9121 W</b>	<b>7108 W</b>	<b>5108 W</b>	<b>5108</b>
Level	<b>Expert</b>	<b>Experience</b>	<b>Experience</b>	<b>Experience</b>
Series	<b>9</b>	<b>7</b>	<b>5</b>	<b>5</b>
<b>POWER</b>				
Power source	Petrol	Petrol	Petrol	Petrol
Displacement	<b>635 cc</b>	<b>586 cc</b>	586 cc	452 cc
Engine brand	<b>STIGA</b>	<b>STIGA</b>	STIGA	STIGA
Engine model	<b>ST 650 Twin</b>	<b>ST 600 Twin</b>	ST 550 Twin	ST 500
Engine rotation speed	<b>2800 rpm</b>	<b>2700 rpm</b>	2800 rpm	2800 rpm
Fuel tank capacity	15 L	15 L	6 L	6 L
Transmission method	Pedal-operated	Pedal-operated	Pedal-operated	Pedal-operated
Transmission type	Hydrostatic	Hydrostatic	Hydrostatic	Hydrostatic
Number of cylinders	2	2	2	1
<b>MOWING</b>				
Cutting method	Side discharge	Side discharge	Side discharge	Side discharge
Cutting width	121 cm	108 cm	108 cm	108 cm
Cutting height adjustment	Manual with lever	Manual with lever	Manual with lever	Manual with lever
Cutting height positions	7 positions	7 positions	7 positions	7 positions
Cutting height range	30 - 90 mm	30 - 90 mm	25 - 80 mm	25 - 80 mm
Blade engagement type	Electric	Electric	Electric	Electric
Maximum working area	8500 m <sup>2</sup>	7000 m <sup>2</sup>	6500 m <sup>2</sup>	6000 m <sup>2</sup>
Mulching kit	Optional	Optional	Optional	Optional
Front wheel size	16x6.00-8	15x6.00-6	15x6.00-6	15x6.00-6
Rear wheel size	20x10.00-10	20x10.00-10	20x10.00-10	18x8.50-8
Number of blades	3	2	2	2
Reverse mowing	Yes	Yes	Yes	Yes
Bumper	Yes	Yes	Yes	Yes
<b>COMFORT</b>				
Dashboard	Yes with smart widescreen display	Yes with multifunctional display	No	No
Headlights	LED - Advanced	LED - Advanced	Led	Led
Washing link	Yes	Yes	Yes	Yes
Cruise control	Yes	No	No	No
Art. N.	2T1945481/ST2	2T1835481/ST1	2T1220481/ST2	2T1215481/ST1



<b>398</b>	<b>398 M</b>
<b>Essential</b>	<b>Essential</b>
<b>3</b>	<b>3</b>
Petrol	Petrol
432 cc	352 cc
STIGA	STIGA
ST 450	ST 350
2800 rpm	2800 rpm
6 L	6 L
Pedal-operated	Lever-operated
Hydrostatic	Mechanical
1	1
Side discharge	Side discharge
98 cm	98 cm
Manual with lever	Manual with lever
7 positions	7 positions
25 - 80 mm	25 - 80 mm
Electric	Electric
5000 m <sup>2</sup>	4500 m <sup>2</sup>
Optional	Optional
15x6.00-6	15x6.00-6
18x8.50-8	18x8.50-8
2	2
Yes	Yes
Yes	Yes
No	No
Conventional	Conventional
Yes	Yes
No	No
<b>2T0610481/ST1</b>	<b>2T0510481/ST3</b>

# Petrol tractors



UPDATED



UPDATED



UPDATED



UPDATED

Estate	9102 WX	9122 W	9102 W	7102 W
Level	<b>Expert</b>	<b>Expert</b>	<b>Expert</b>	<b>Experience</b>
Series	<b>9</b>	<b>9</b>	<b>9</b>	<b>7</b>
POWER				
Power source	Petrol	Petrol	Petrol	Petrol
Displacement	<b>635 cc</b>	<b>635 cc</b>	<b>635 cc</b>	<b>586 cc</b>
Engine brand	<b>STIGA</b>	<b>STIGA</b>	<b>STIGA</b>	<b>STIGA</b>
Engine model	<b>ST 650 Twin</b>	<b>ST 650 Twin</b>	<b>ST 650 Twin</b>	<b>ST 600 Twin</b>
Engine rotation speed	<b>2400 rpm</b>	<b>2600 rpm</b>	<b>2400 rpm</b>	<b>2400 rpm</b>
Fuel tank capacity	10 L	8 L	8 L	8 L
Transmission method	Pedal-operated	Pedal-operated	Pedal-operated	Pedal-operated
Transmission type	Hydrostatic	Hydrostatic	Hydrostatic	Hydrostatic
Number of cylinders	2	2	2	2
MOWING				
Cutting method	Collecting	Collecting	Collecting	Collecting
Cutting width	102 cm	122 cm	102 cm	102 cm
Cutting height adjustment	Manual with control knob	Manual with lever	Manual with lever	Manual with lever
Cutting height positions	9 positions	7 positions	7 positions	7 positions
Cutting height range	25 - 100 mm	30 - 90 mm	30 - 90 mm	30 - 90 mm
Blade engagement type	Electric	Electric	Electric	Electric
Maximum working area	8000 m <sup>2</sup>	8000 m <sup>2</sup>	7000 m <sup>2</sup>	6000 m <sup>2</sup>
Mulching kit	Optional	Optional	Optional	Optional
Front wheel size	16x6.00-8	15x6.00-6	15x6.00-6	15x6.00-6
Rear wheel size	20x10.00-10	18x8.50-8	18x8.50-8	18x8.50-8
Number of blades	2	2	2	2
Reverse mowing	Yes	Yes	Yes	Yes
Bumper	Yes	Yes	Yes	Yes
COMFORT				
Dashboard	Yes with smart widescreen display	Yes with smart widescreen display	Yes with smart widescreen display	Yes with multifunctional display
Headlights	LED - Advanced	LED - Advanced	LED - Advanced	LED - Advanced
Washing link	Yes	Yes	Yes	Yes
Cruise control	Yes	Yes	Yes	No
Art. N.	2T1425481/ST1	2T1310481/ST2	2T0985481/ST1	2T0970481/ST1



792 W	792	598 W
<b>Experience</b>	<b>Experience</b>	<b>Experience</b>
<b>7</b>	<b>7</b>	<b>5</b>
Petrol	Petrol	Petrol
586 cc	452 cc	586 cc
STIGA	STIGA	STIGA
ST 600 Twin	ST 500	ST 550 Twin
2700 rpm	2800 rpm	2600 rpm
8 L	8 L	6 L
Pedal-operated	Pedal-operated	Pedal-operated
Hydrostatic	Hydrostatic	Hydrostatic
2	1	2
Collecting	Collecting	Collecting
92 cm	92 cm	98 cm
Manual with lever	Manual with lever	Manual with lever
7 positions	7 positions	7 positions
30 - 90 mm	30 - 90 mm	25 - 80 mm
Electric	Electric	Electric
5000 m <sup>2</sup>	4500 m <sup>2</sup>	5000 m <sup>2</sup>
Optional	Optional	Optional
15x6.00-6	15x6.00-6	15x6.00-6
18x8.50-8	18x8.50-8	18x8.50-8
2	2	2
Yes	Yes	Yes
Yes	Yes	Yes
Yes with multifunctional display	Yes with multifunctional display	Yes with LED
LED - Advanced	LED - Advanced	Led
Yes	Yes	Yes
No	No	No
2T0785481/ST1	2T0780481/ST1	2T2630481/ST2

# Petrol tractors



<b>Estate</b>	<b>598</b>	<b>384</b>	<b>384 M</b>
Level	<b>Experience</b>	<b>Essential</b>	<b>Essential</b>
Series	<b>5</b>	<b>3</b>	<b>3</b>
<b>POWER</b>			
Power source	Petrol	Petrol	Petrol
Displacement	452 cc	432 cc	352 cc
Engine brand	STIGA	STIGA	STIGA
Engine model	ST 500	ST 450	ST 350
Engine rotation speed	2600 rpm	2400 rpm	2400 rpm
Fuel tank capacity	6 L	6 L	6 L
Transmission method	Pedal-operated	Pedal-operated	Lever-operated
Transmission type	Hydrostatic	Hydrostatic	Mechanical
Number of cylinders	1	1	1
<b>MOWING</b>			
Cutting method	Collecting	Collecting	Collecting
Cutting width	98 cm	84 cm	84 cm
Cutting height adjustment	Manual with lever	Manual with lever	Manual with lever
Cutting height positions	7 positions	7 positions	7 positions
Cutting height range	25 - 85 mm	25 - 80 mm	25 - 80 mm
Blade engagement type	Electric	Electric	Electric
Maximum working area	4500 m <sup>2</sup>	3500 m <sup>2</sup>	3000 m <sup>2</sup>
Mulching kit	Optional	Optional	Optional
Front wheel size	15x6.00-6	15x6.00-6	15x6.00-6
Rear wheel size	18x8.50-8	18x8.50-8	18x8.50-8
Number of blades	2	2	2
Reverse mowing	Yes	Yes	Yes
Bumper	Yes	Yes	Yes
<b>COMFORT</b>			
Dashboard	Yes with LED	Yes with LED	Yes with LED
Headlights	Led	Conventional	Conventional
Washing link	Yes	Yes	Yes
Cruise control	No	No	No
Art. N.	2T2620481/ST2	2T2100481/ST1	2T2000481/ST3

# Petrol tractors



<b>Combi</b>	<b>372</b>	<b>166</b>
Level	Essential	Essential
Series	3	1
<b>POWER</b>		
Power source	Petrol	Petrol
Displacement	414 cc	224 cc
Engine brand	STIGA	STIGA
Engine model	ST 400	ST 250 ES
Engine rotation speed	2800 rpm	2450 rpm
Fuel tank capacity	4 L	3.80 L
Transmission method	Lever-operated	Pedal-operated
Transmission type	Hydrostatic	Hydrostatic
Number of cylinders	1	1
<b>MOWING</b>		
Cutting method	Collecting	Collecting, Side discharge
Cutting width	72 cm	66 cm
Cutting height adjustment	Manual with lever	Manual with lever
Cutting height positions	7 positions	6 positions
Cutting height range	30 - 80 mm	30 - 76 mm
Blade engagement type	Manual	Manual
Maximum working area	2500 m <sup>2</sup>	1500 m <sup>2</sup>
Mulching kit	Optional	Optional
Front wheel size	11x4.00-4	13x5.00-6
Rear wheel size	15x6.00-6	15x6.00-6
Number of blades	1	1
Reverse mowing	Yes	Yes
Bumper	No	No
<b>COMFORT</b>		
Dashboard	Yes with LED	No
Headlights	Conventional	No
Washing link	Yes	Yes
Cruise control	No	No
Art. N.	2T0210481/ST2	2T0070481/ST2

# Front mowers



# Park Pro

Engineered for maximum performance and the smoothest driving experience, eight hours a day.

- Top-quality STIGA Combi cutting deck with 3 blades
- STIGA patented Multiclip blades
- Demanding, long working sessions



# Park 9, 7 and 5 Series

Iconic mulching quality on a top-performing, four-season machine.

- Cutting decks available from 95 to 125 cm
- Power steering for comfort in driving
- Equipped with STIGA engines



# Park 3 Series

Compact, easily-manageable machine, designed for comfort.

- Cutting decks available from 85 to 95 cm
- STIGA articulated steering
- Hydrostatic transmission for smooth driving



## STIGA Park front mowers: Iconic cutting quality and cutting-edge performance



From summer through to winter, mowing is a breeze with a STIGA front mower.

Easy to manoeuvre and great at mulching, STIGA front mowers are ideal for managing large, multi-level gardens. Blissfully agile, the position of the deck ensures control and visibility around every corner.

### Expert



Top-performer in the Market

### Experience

Highly flexible, comfortable and performing machine.

### Essential

Easy-to-use  
Mulching-specific  
Convenience



9500 - 13000 sqm

4000 - 8500 sqm

2500 - 3000 sqm



Powered by pro-grade engines

Powered by STIGA twin-cylinder engines

Powered by STIGA single-cylinder engines



Soft-grip steering wheel  
Top-featured for comfort  
Seat with high back support

Soft-grip steering wheels  
Compartment for personal belongings  
Easy-to-reach side panel with all commands

Easy-to-reach commands



Hydraulic power steering / Hydro-RAM  
High-speed performance (up to 14 km/h)

Power steering  
4WD on some models

Knob on wheel for easy maneuvering



Hydraulic lifting of accessories  
Large fuel tank, for quick and clean refueling operations  
Wide and high LED beams  
Backlight display with working parameters (on PRO models)

Wide and high beams, all LED

Park Pro 900 AWX  
Park Pro 900 WX  
Park 900 WX

Park 700 WX  
Park 700 W

Park 300  
Park 300 M

Park 500 WX  
Park 500 W  
Park 500

#### What's my name?

76 **W** = Twin cylinder engine // **X** = 4 wheel drive // **A** = Auxiliary hydraulic outlets // **M** = Manual cutting height adjustment

# All-round garden care with STIGA accessories

A wide range available to suit every season.



## Spring

Fertilizing the soil and eliminating the moss with a lawn rake, either electric or manual.



## Summer

Overgrown areas with rough grass and weeds can be tackled with flail mowers, now powered by even more powerful engines.



## Autumn

Sweeping and collecting leaves for a healthy, good-looking lawn can be easily done with leaf collectors.



## Winter

Tools that are designed to quickly remove powdery and wet snow from walk- and driveways.

# Petrol front mowers



<b>Park Pro</b>	<b>900 WX</b>	<b>900 AWX</b>
Level	<b>Expert</b>	<b>Expert</b>
Series	<b>9</b>	<b>9</b>
<b>POWER</b>		
Power source	Petrol	Petrol
Power	14.3 kW	15.4 kW
Engine brand	Honda	Honda
Engine model	GXV 630	GXV 690
Displacement	688 cc	688 cc
Engine rotation speed	3200 rpm	3200 rpm
Fuel tank capacity	15 L	15 L
Maximum working area	12500 m <sup>2</sup>	13000 m <sup>2</sup>
<b>MOWING</b>		
Cutting method	Combi - switch between Multiclip mulching and rear discharge	Combi - switch between Multiclip mulching and rear discharge
Cutting width	110 - 125 cm	110 - 125 cm
Cutting height adjustment	Electric	Electric
<b>COMFORT</b>		
Deck lift	Hydraulic	Hydraulic
PTO engagement	Electromagnetic	Electromagnetic
Traction	Four-wheel drive	Four-wheel drive
Transmission type	Hydrostatic	Hydrostatic
Steering type	Articulated (50/50)	Articulated (50/50)
Power assisted steering	Hydro piston	Hydro piston
Seat type	Comfort with high back support	Comfort with high back support
Front wheel size	17x8.00-8	17x8.00-8
Rear wheel size	17x8.00-8	17x8.00-8
Headlights	Led	Led
Dashboard	Yes with display	Yes with display
Bluetooth connectivity	Not available	Not available
Auxiliary hydraulic outlets	No	Yes
Art. N.	2F6430831/ST2	2F6430931/ST2




<b>Park</b>	<b>900 WX</b>	<b>700 WX</b>	<b>700 W</b>	<b>500 W</b>
Level	<b>Expert</b>	<b>Experience</b>	<b>Experience</b>	<b>Experience</b>
Series	<b>9</b>	<b>7</b>	<b>7</b>	<b>5</b>
<b>POWER</b>				
Power source	Petrol	Petrol	Petrol	Petrol
Power	<b>13.70 kW</b>	13.10 kW	13.10 kW	11.90 kW
Engine brand	<b>STIGA</b>	STIGA	STIGA	STIGA
Engine model	<b>ST 650 Twin</b>	ST 600 Twin	ST 600 Twin	ST 550 Twin
Displacement	<b>635 cc</b>	586 cc	586 cc	586 cc
Engine rotation speed	<b>3200 rpm</b>	3200 rpm	3200 rpm	3200 rpm
Fuel tank capacity	12 L	12 L	12 L	12 L
Maximum working area	9500 m <sup>2</sup>	8500 m <sup>2</sup>	8000 m <sup>2</sup>	7000 m <sup>2</sup>
<b>MOWING</b>				
Cutting method	Combi - switch between Multiclip mulching and rear discharge	Combi - switch between Multiclip mulching and rear discharge	Combi - switch between Multiclip mulching and rear discharge	Combi - switch between Multiclip mulching and rear discharge
Cutting width	95 - 125 cm	95 - 125 cm	95 - 125 cm	95 - 110 cm
Cutting height adjustment	Electric	Electric	Electric	Electric
<b>COMFORT</b>				
Deck lift	Manual	Manual	Manual	Manual
PTO engagement	Electromagnetic	Electromagnetic	Electromagnetic	Electromagnetic
Traction	Four-wheel drive	Four-wheel drive	Rear-wheel drive	Rear-wheel drive
Transmission type	Hydrostatic	Hydrostatic	Hydrostatic	Hydrostatic
Steering type	Articulated (50/50)	Articulated (50/50)	Articulated (50/50)	Articulated (50/50)
Power assisted steering	Hydraulic	Hydraulic	Hydraulic	Hydraulic
Seat type	Comfort with high back support	Comfort with high back support	Comfort with high back support	Comfort
Front wheel size	16x7.50-8	16x7.50-8	16x7.50-8	16x7.50-8
Rear wheel size	16x7.50-8	16x7.50-8	16x7.50-8	16x7.50-8
Headlights	LED - Advanced	LED - Advanced	LED - Advanced	Led
Dashboard	Yes	Yes	Yes	Yes - compact
Bluetooth connectivity	Yes as standard	Yes as standard	Yes as standard	Optional
Auxiliary hydraulic outlets	No	No	No	No
Art. N.	2F6230845/ST2	2F6230745/ST2	2F6220745/ST2	2F6120645/ST2

# Petrol front mowers



Park	500 WX	500	300 M	300
Level	Experience	Experience	Essential	Essential
Series	5	5	3	3
POWER				
Power source	Petrol	Petrol	Petrol	Petrol
Power	11.90 kW	8.10 kW	7.10 kW	8.10 kW
Engine brand	STIGA	STIGA	STIGA	STIGA
Engine model	ST 550 Twin	ST 450	ST 400	ST 450
Displacement	586 cc	432 cc	414 cc	432 cc
Engine rotation speed	3200 rpm	3200 rpm	3200 rpm	3200 rpm
Fuel tank capacity	12 L	12 L	4.2 L	4.2 L
Maximum working area	7500 m <sup>2</sup>	4500 m <sup>2</sup>	2500 m <sup>2</sup>	3000 m <sup>2</sup>
MOWING				
Cutting method	Combi – switch between Multiclip mulching and rear discharge	Combi – switch between Multiclip mulching and rear discharge	Combi – switch between Multiclip mulching and rear discharge	Combi – switch between Multiclip mulching and rear discharge
Cutting width	95 – 125 cm	95 – 100 cm	85 cm	85 – 95 cm
Cutting height adjustment	Electric	Electric	Manual	Electric
COMFORT				
Deck lift	Manual	Manual	Manual	Manual
PTO engagement	Electromagnetic	Electromagnetic	Electromagnetic	Electromagnetic
Traction	Four-wheel drive	Rear-wheel drive	Rear-wheel drive	Rear-wheel drive
Transmission type	Hydrostatic	Hydrostatic	Hydrostatic	Hydrostatic
Steering type	Articulated (50/50)	Articulated (50/50)	Articulated	Articulated
Power assisted steering	Hydraulic	Hydraulic	Not available	Not available
Seat type	Comfort	Comfort	Standard	Standard
Front wheel size	16x7.50-8	16x7.50-8	14.3x5.60-8	14.3x5.60-8
Rear wheel size	16x7.50-8	16x7.50-8	14.3x5.60-8	14.3x5.60-8
Headlights	Led	No	No	No
Dashboard	Yes – compact	Yes – compact	No	No
Bluetooth connectivity	Optional	Optional	Not available	Not available
Auxiliary hydraulic outlets	No	No	No	No
Art. N.	2F6130645/ST2	2F6120545/ST2	2F5820241/S16	2F5820421/ST2

# Park deck compatibility



	Combi Pro 125 Q Plus	Combi Pro 110 Q Plus	Combi 100 Q Plus	Combi 95 Q Plus	Combi 95 Q	Combi 85 M Q
Park Pro 900 AWX	👉	✅				
Park Pro 900 WX	👉	✅				
Park 900 WX	👉	✅	✅	✅		
Park 700 WX	✅	👉	✅	✅		
Park 700 W	👍	👉	✅	✅		
Park 500 WX	✅	✅	👉	✅		
Park 500 W		👍	👉	✅		
Park 500			✅	👉		
Park 300					👉	✅
Park 300 M						👉
Art. N.	2D6312521/ST2	2D6311021/ST2	2D6210021/ST2	2D6209521/ST2	2D5809521/ST2	2D5808511/ST2

👉 Suggested combination    ✅ Compatible combination    👍 Only in combination with rear ballast



**STIGA QUICKFLIP PLUS TECHNOLOGY** allows you to easily raise the deck for washing and maintenance with minimal effort.  
**Gear wheel-pin system, carefully designed to grant maximum safety while deck is lifted.**



**STIGA QUICKFLIP TECHNOLOGY** allows you to easily raise the deck for washing and maintenance with minimal effort.

# Hand helds



# Share the ePower with your battery hand-held tools

STIGA ePower 48V batteries can be used on all hand-held tools from the 3, 5, 7 and 9 Series. They give you a whole new way to care for your garden, no matter the season or the kind of task to be performed. STIGA ePower is the gate to a complete, customisable garden care system.



# Brushcutters

Cutting, tidying and edging the grass with ease.

- Cutting width up to 44 cm
- Bike and loop handles
- Available power sources: battery and petrol (brushcutters), corded (grass trimmers)



# Hedge trimmers

High trimming performance with less noise, vibration and maintenance.

- Blade lengths up to 70 cm
- Available power sources: battery, petrol and corded



# Chainsaws

Performance, precision and safety for all logging and pruning jobs.

- Bar lengths up to 50 cm
- Pruner models available
- Available power sources: battery, petrol and corded



# Blowers

To easily keep lawn and outdoors clean.

- Air speeds up to 100 m/s
- Ergonomics improves handling and manoeuvrability
- Available power sources: battery, petrol and corded



# Multi tool

Different applications in one, to build a complete gardening tool.

- Telescopic shaft up to 3 meters length
- Hedging and pruning attachments available
- Available power sources: battery and petrol



# All-round garden care, battery-powered.

Power through rough grass and wild weeds with ease. Cut firewood in the safest and quickest way. But also, take care of your hedges the way you want, in total comfort. Work safely and fast, with easy-to-carry harnesses and vibration control.

All STIGA petrol hand-held tools deliver controlled, efficient performance in full comfort.



## Expert



Top-featured products.

## Experience

More functions for various tasks.

## Essential

Lightweight, easy and quick.



Long working sessions and tough tasks

Long working sessions, with a wide variety of activities.

Short working sessions, with basic garden care activities.



Driven by STIGA ePower

Driven by STIGA ePower

Driven by STIGA ePower



STIGA Battery harness for enhanced comfort  
Extended running times

Ergonomic, soft-grip handles  
Different speed levels

The lightest tools in their categories  
Simple functions, button- or switch-operated



New tools with best-in-class performance

A battery simulator for compatibility with battery harness

New functions for a more precise garden care  
New tools, not only for the garden

PS 900e  
BL 900e  
BC 900e B  
HT 900e  
PH 900e

CS 700e  
PR 700e  
PS 700e  
BL 700e  
BC 700e B  
BC 700e  
HT 700e  
PH 700e

BL 500e  
GT 500e  
MT 500e  
HT 500e

CS 100e  
VS 100e  
BL 100e  
GT 100e  
MT 100e  
HT 100e  
SGM 102 AE  
SGM 72 AE

### What's my name?

# Top-performing tools for a perfectly shaped garden

Power through rough grass and wild weeds with ease. Cut firewood in the safest and quickest way. But also, take care of your hedges the way you want, in total comfort. Work safely and fast, with easy-to-carry harnesses and vibration control.

All STIGA petrol hand-held tools deliver controlled, efficient performance in full comfort.



## Expert



Performance and comfort, all in one.

## Experience

For tougher jobs in total safety

## Essential

For quick and precise jobs



Heavy-duty tasks

Long working sessions

Lightweight, easy and quick



Engines up to 52cc

Engines up to 47cc

Engines up to 26cc



Adjustable handles  
Straight shafts  
Aluminum parts, lightweight and strong

Straight shaft  
Rotating handles  
Rear top-handle chainsaws

Adjustable shaft  
Loop and bike handles  
Multi-tool 5 in 1 with accessories



Soft-grip handles  
Anti-vibrations systems  
Harness always included  
Digital display with working parameters (on selected brushcutters)

Harness included on selected models  
Anti-vibrations systems

Single harness on selected models

BL 980 R  
SRC 685 RG

CS 755 (18")  
CS 750 (18")  
PR 730 C (10")  
PR 730 (10")  
GT 730 A  
BC 760 B  
BC 750 B  
BC 740 B  
BC 730 B  
BC 730

SRC 585  
CS 545 (16")  
CS 540(14")  
BL 530 V  
BL 530  
HT 525  
BC 555 B  
BC 545 B  
BC 535 B  
BC 535  
SVP 40 G

GT 330 A  
BC 330 AB  
BC 330 A  
MT 330 - 5 in 1  
SRC 36 V

### What's my name?

R = Rucksack // A = Adjustable // B = Bike handle // C = Carving bar

## CUTTING AND TRIMMING

# Battery brushcutters



	BC 900e B	BC 700e B	BC 700e
Level	<b>Expert</b>	<b>Experience</b>	<b>Experience</b>
Series	<b>9</b>	<b>7</b>	<b>7</b>
<b>POWER</b>			
Power source	Lithium-ion battery	Lithium-ion battery	Lithium-ion battery
Voltage	48V	48V	48V
Lithium battery nominal energy	324 Wh	172.80 Wh	172.80 Wh
Battery capacity	7.5 Ah	4 Ah	4 Ah
Suggested battery capacity	2 x 7.5 Ah	4 Ah	4 Ah
Working time (+/- 20%)	70 min	30 min	30 min
Motor type	Brushless	Brushless	Brushless
<b>TRIMMING</b>			
Cutting width	43 cm	38 cm	38 cm
Cutting angle	Fixed	Fixed	Fixed
Nylon head type	Bump & Work dual line - Easy load	Bump & Work dual line - Easy load	Bump & Work dual line - Easy load
Nylon line length	4 m	4 m	4 m
Blade type	3T ARC	3T ARC	3T ARC
<b>COMFORT</b>			
Vibe Control System (VCS)	Yes	Yes	No
Harness	Double Comfort	Double Comfort	Single
Soft grip handle	Yes	Yes	Yes
Handle type	Bike	Bike	Loop Adjustable
Shaft type	Straight	Straight	Straight
Shaft tube diameter	25.40 mm	25 mm	25 mm
<b>TOOLS KIT</b>			
Battery charger	Single fast	Single standard	Single standard
Battery charger output current	3 A	1.5 A	1.5 A
Product weight	7.30 kg	6 kg	4.70 kg
Art. N. Battery kit included	PROMO_BC900EBKIT **	PROMO_BC700EBKIT *	-
Art. N. Battery kit NOT included	279210008/ST2	277210008/ST2	277200008/ST2

\*Battery and charger included for brushcutters, chainsaws, blowers and hedge trimmers of 7 Series

\*\*Battery, charger, battery belt included for brushcutters, blowers and hedge trimmers of 9 Series

# Battery grass trimmers



	GT 500e	GT 100e Kit
Level	Experience	Essential
Series	5	1
<b>POWER</b>		
Power source	Lithium-ion battery	Lithium-ion battery
Voltage	48V	20V
Lithium battery nominal energy	86.40 Wh	36 Wh
Battery capacity	2 Ah	2 Ah
Suggested battery capacity	2 Ah	2 Ah
Working time (+/- 20%)	20 min	20 min
Motor type	With brushes	With brushes
<b>TRIMMING</b>		
Cutting width	30 cm	25 cm
Cutting angle	Fixed + edge trimmer function	Adjustable
Nylon head type	Automatic dual line	Automatic single line
Nylon line length	4 m	4 m
Blade type	-	-
<b>COMFORT</b>		
Vibe Control System (VCS)	No	No
Harness	No	No
Soft grip handle	Yes	No
Handle type	Loop Adjustable	Loop
Shaft type	Telescopic	Telescopic
Shaft tube diameter	25.40 mm	26 mm
<b>TOOLS KIT</b>		
Battery charger	Single standard	Single standard
Battery charger output current	1.5 A	2 A
Product weight	3.05 kg	2.20 kg
Art. N. Battery kit included	278102108/ST3	271102108/ST2
Art. N. Battery kit NOT included	278100008/ST3	-

# Petrol brushcutters



	<b>BC 740 B</b>	<b>BC 730 B</b>	<b>BC 730</b>	<b>BC 555 B</b>
Level	Experience	Experience	Experience	Experience
Series	7	7	7	5
<b>POWER</b>				
Power source	Petrol 2-stroke	Petrol 2-stroke	Petrol 2-stroke	Petrol 2-stroke
Power	1.2 kW	1 kW	1 kW	1.55 kW
Displacement	35.3 cc	25.4 cc	25.4 cc	51.7 cc
Engine rotation speed	3000 rpm	6000 rpm	6000 rpm	9500 rpm
Primer	Yes	Yes	Yes	Yes
Choke	Manual	Manual	Manual	Manual with automatic return
Fuel tank capacity	0.60 L	0.45 L	0.45 L	1 L
<b>TRIMMING</b>				
Cutting width	43 cm	44 cm	43 cm	45 cm
Nylon head type	Bump & Work dual line			
Nylon line length	4 m	4 m	4 m	4 m
Blade type	3T ARC	3 T	3 T	3 T
<b>COMFORT</b>				
Vibe Control System (VCS)	Yes	No	No	Yes
Harness	Double Comfort	Single	Single	Double
Soft grip handle	Yes	Yes	Yes	Yes
Handle type	Bike	Bike	Loop	Bike
Shaft type	Straight	Straight	Straight	Straight - Forest type
Shaft tube diameter	28 mm	24 mm	24 mm	28 mm
Product weight	8.30 kg	5.70 kg	5.50 kg	9 kg
Art. N.	283321008/ST2	283221008/ST1	283220008/ST1	287421002/ST1



<b>BC 545 B</b>	<b>BC 535 B</b>	<b>BC 535</b>
<b>Experience</b>	<b>Experience</b>	<b>Experience</b>
5	5	5
Petrol 2-stroke	Petrol 2-stroke	Petrol 2-stroke
1.25 kW	0.9 kW	0.9 kW
42.7 cc	32.6 cc	32.6 cc
9500 rpm	11000 rpm	11000 rpm
Yes	Yes	Yes
Manual with automatic return	Manual with automatic return	Manual with automatic return
1 L	0.80 L	0.80 L
45 cm	43 cm	43 cm
Bump & Work dual line	Bump & Work dual line	Bump & Work dual line
4 m	4 m	4 m
3 T	3 T	3 T
Yes	Yes	Yes
Double	Double	Single
Yes	Yes	Yes
Bike	Bike	Loop
Straight - Forest type	Straight - Forest type	Straight
28 mm	26 mm	26 mm
9 kg	8.60 kg	8.30 kg
<b>287321002/ST1</b>	<b>287221002/ST1</b>	<b>287220002/ST1</b>

# Petrol brushcutters



	BC 330 AB	BC 330 A	GT 730 A	GT 330 A
Level	Essential	Essential	Experience	Essential
Series	3	3	7	3
<b>POWER</b>				
Power source	Petrol 2-stroke		Petrol 2-stroke	Petrol 2-stroke
Power	0.7 kW		1 kW	0.7 kW
Displacement	25.4 cc		25.4 cc	25.4 cc
Engine rotation speed	11000 rpm		6000 rpm	8800 rpm
Primer	Yes		Yes	Yes
Choke	Manual		Manual	Manual
Fuel tank capacity	0.65 L		0.45 L	0.65 L
<b>TRIMMING</b>				
Cutting width	43 cm		38 cm	38 cm
Nylon head type	Bump & Work dual line		Bump & Work dual line	Tap & Go dual line
Nylon line length	4 m		4 m	4 m
Blade type	3 T		-	-
<b>COMFORT</b>				
Vibe Control System (VCS)	Yes		No	Yes
Harness	Single		Single	No
Soft grip handle	Yes		Yes	Yes
Handle type	Bike		Loop	Loop
Shaft type	Straight split		Curved Split	Curved Split
Shaft tube diameter	26 mm		24 mm	26 mm
Product weight	7.60 kg		5.20 kg	6.50 kg
Art. N.	287121102/ST2	287120102/ST2	283210108/ST1	287110102/ST2

# Corded grass trimmers



	GT 106c	GT 104c
Level	Essential	Essential
Series	1	1
POWER		
Power source	Electric	Electric
Power	0.6 kW	0.35 kW
Motor type	With brushes	With brushes
TRIMMING		
Cutting width	30 cm	24 cm
Cutting angle	Adjustable	Fixed
Nylon head type	Tap & Go dual line	Tap & Go dual line
Nylon line length	3 m	3 m
Blade type	-	-
COMFORT		
Vibe Control System (VCS)	No	No
Harness	No	No
Soft grip handle	No	No
Handle type	Loop	Loop
Shaft type	Telescopic	Full plastic
Shaft tube diameter	28 mm	-
Product weight	2.80 kg	2 kg
Art. N.	252060002/ST1	252035002/ST1

**STIGA corded hand-held tools are compact and easy to use. Designed with comfort in mind, with lower noise and vibrations.**

## CUTTING AND TRIMMING

# Battery pole trimmers and hedge trimmers



	PH 900e	HT 900e	PH 700e	HT 700e
Level	<b>Expert</b>	<b>Expert</b>	<b>Experience</b>	<b>Experience</b>
Series	<b>9</b>	<b>9</b>	<b>7</b>	<b>7</b>
<b>POWER</b>				
Power source	Lithium-ion battery	Lithium-ion battery	Lithium-ion battery	Lithium-ion battery
Voltage	48V	48V	48V	48V
Battery capacity	7.5 Ah	7.5 Ah	2 Ah	2 Ah
Suggested battery capacity	2 x 7.5 Ah	2 x 7.5 Ah	2 Ah	2 Ah
Lithium battery nominal energy	324 Wh	324 Wh	172.8 Wh	172.8 Wh
Working time (+/- 20%)	200 min	180 min	40 min	40 min
Motor type	Brushless	Brushless	With brushes	With brushes
<b>TRIMMING</b>				
Cutting length	50 cm	60 cm	48 cm	56 cm
Blade length	52 cm	65 cm	50 cm	63 cm
Blade type	Dual action - Laser cut	Dual action - Laser cut	Dual action - Laser cut	Dual action - Laser cut
Blade teeth speed	3300 spm	3300 spm	3000 spm	3000 spm
Teeth distance	34 mm	40 mm	34 mm	34 mm
Cutting capacity (diameter)	27 mm	33 mm	26 mm	26 mm
<b>COMFORT</b>				
Vibe Control System (VCS)	Yes	Yes	Yes	Yes
Handle type	Rear handle	Turnable 180° - 3 positions	Fix	Turnable 180° - 5 positions
Soft grip handle	Yes	Yes	Yes	Yes
<b>TOOLS KIT</b>				
Battery charger	Single fast	Single fast	Single standard	Single fast
Battery charger output current	1.5 A	1.5 A	1.5 A	2 A
Product weight	5.18 kg	4.60 kg	5 kg	4.62 kg
Art. N. Battery kit included	-	PROMO_HT900EKIT **	-	PROMO_HT700EKIT *
Art. N. Battery kit NOT included	279710038/ST2	279350008/ST2	277710038/ST2	277300008/ST2

\*Battery and charger included for brushcutters, chainsaws, blowers and hedge trimmers of 7 Series

\*\*Battery, charger, battery belt included for brushcutters, blowers and hedge trimmers of 9 Series



HT 500e	HT 100 e Kit
<b>Experience</b>	<b>Essential</b>
<b>5</b>	<b>1</b>
Lithium-ion battery	Lithium-ion battery
48V	20V
2 Ah	2 Ah
2 Ah	2 Ah
86.4 Wh	36 Wh
50 min	40 min
With brushes	With brushes
51 cm	50 cm
58 cm	55 cm
Dual action - Laser cut	Dual action
3500 spm	2300 spm
27 mm	25 mm
18 mm	18 mm
No	No
Turnable 180° - 3 positions	Turnable 180° - 3 positions
Yes	No
Single standard	Single standard
1.5 A	2 A
3.70 kg	2.62 kg
278302108/ST3	271302108/ST2
278300008/ST3	-

# Petrol hedge trimmers



## HT 525

Level	<b>Experience</b>
Series	<b>5</b>
<b>POWER</b>	
Power source	Petrol 2-stroke
Power	0.65 kW
Displacement	22.5 cc
Engine rotation speed	10500 rpm
Primer	Yes
Choke	Automatic
Fuel tank capacity	0.26 L
<b>TRIMMING</b>	
Cutting length	46 cm
Blade length	60 cm
Blade type	Dual action
Blade teeth speed	3000 spm
Teeth distance	35 mm
Cutting capacity (diameter)	27 mm
<b>COMFORT</b>	
Vibe Control System (VCS)	Yes
Handle type	Turnable 180° - 3 positions
Soft grip handle	Yes
Product weight	5.60 kg
Art. N.	252421008/ST2

# Corded hedge trimmers



	HT 106c	HT 105c
Level	Essential	Essential
Series	1	1
<b>POWER</b>		
Power source	Electric	Electric
Power	0.6 kW	0.5 kW
Motor type	With brushes	With brushes
<b>TRIMMING</b>		
Cutting length	55 cm	45 cm
Blade length	60 cm	50 cm
Blade type	Dual action - Laser cut	Dual action
Blade teeth speed	1700 spm	1700 spm
Teeth distance	26 mm	22 mm
Cutting capacity (diameter)	20 mm	16 mm
<b>COMFORT</b>		
Vibe Control System (VCS)	No	No
Handle type	Turnable 180° - 5 positions	Turnable 180° - 5 positions
Soft grip handle	No	No
Product weight	3.25 kg	3.05 kg
Art. N.	256060002/ST1	256050002/ST1

## CUTTING AND TRIMMING

# Battery pole saws, pruner and chainsaw



	PS 900e	PS 700e	CS 700e	PR 700e
Level	<b>Expert</b>	<b>Experience</b>	<b>Experience</b>	<b>Experience</b>
Series	9	7	7	7
<b>POWER</b>				
Power source	Lithium-ion battery	Lithium-ion battery	Lithium-ion battery	Lithium-ion battery
Voltage	48V	48V	48V	48V
Lithium battery nominal energy	360 Wh	172.8 Wh	192 Wh	172.8 Wh
Battery capacity	7.5 Ah	4 Ah	4 Ah	4 Ah
Suggested battery capacity	2 x 7.5 Ah	4 Ah	4 Ah	4 Ah
Working time (+/- 20%)	22 min	30 min	16 min	12 min
Motor type	Brushless	With brushes	Brushless	Brushless
Overload protection	Yes	Yes	Yes	Yes
<b>CUTTING</b>				
Bar length	10" / 25 cm	10" / 25 cm	14" / 35 cm	12" / 30 cm
Bar type	Sprocket nose	Sprocket nose	Sprocket nose	Sprocket nose
Speed selector	Yes	No	Yes	No
Chain brake	No	No	Manual	Manual
Chain speed	12-16 m/s	5 m/s	16-20 m/s	20 m/s
Chain tensioning system	Side screw tensioning	Side screw tensioning	Side screw tensioning	Side screw tensioning
Chain type	3/8" .050" (91PX-40X)	3/8" .050" (91PX040E)	3/8" .050" (91PX-52X)	3/8" .050" (91PX045E)
Chain oil pump	Automatic	Automatic	Automatic	Automatic
Chain oil tank capacity	0.10 L	0.15 L	0.18 L	0.18 L
<b>COMFORT</b>				
Handle type	Fix	Rear handle	Rear handle	Top handle
Soft grip handle	Yes	Yes	Yes	Yes
<b>TOOLS KIT</b>				
Battery charger	Dual standard	Single standard	Single standard	Single standard
Battery charger output current	3 A	1.5 A	1.5 A	1.5 A
Product weight	4.20 kg	5.60 kg	3.45 kg	3.45 kg
Art. N. Battery kit included	-	-	PROMO_CS700EKIT *	-
Art. N. Battery kit NOT included	279710048/ST2	277710048/ST2	277430008/ST1	278420008/ST3

\*Battery and charger included for brushcutters, chainsaws, blowers and hedge trimmers of 7 Series

# Corded chainsaw



	CS 122c (16")	CS 118c (14")
Level	Essential	Essential
Series	1	1
<b>POWER</b>		
Power source	Electric	Electric
Power	2.2 kW	1.8 kW
Motor type	With brushes	With brushes
<b>CUTTING</b>		
Bar length	40 cm	35 cm
Bar length (inches)	16 "	14 "
Bar type	Sprocket nose	Sprocket nose
Chain brake	Manual and inertial	Manual and inertial
Chain speed	11 m/s	10 m/s
Chain tensioning system	Quick side tensioning	Side screw tensioning
Chain type	3/8" .050" (91PX056E)	3/8" .050" (91PX052E)
Chain oil pump	Automatic	Automatic
Chain oil tank capacity	0.25 L	0.18 L
<b>COMFORT</b>		
Handle type	Rear handle	Rear handle
Soft grip handle	Yes	Yes
<b>TOOLS KIT</b>		
Included tools kit	Screwdriver	Screwdriver
Product weight	5.90 kg	5.40 kg
Art. N.	292616168/ST2	292614008/ST2

## CUTTING AND TRIMMING

# Petrol pruners and chainsaws



	<b>CS 755 (18")</b>	<b>CS 750 (18")</b>	<b>PR 730 C (10")</b>	<b>PR 730 (10")</b>
Level	<b>Experience</b>	<b>Experience</b>	<b>Experience</b>	<b>Experience</b>
Series	7	7	7	7
<b>POWER</b>				
Power source	Petrol 2-stroke	Petrol 2-stroke	Petrol 2-stroke	
Power	2.30 kW	2 kW	0.70 kW	
Displacement	52 cc	46.50 cc	26.90 cc	
Primer	Yes	Yes	Yes	
Choke	Manual with automatic return	Manual with automatic return	Manual with automatic return	
Fuel tank capacity	0.47 L	0.47 L	0.22 L	
Included tools kit	Screwdriver, chain round file, spark plug key	Screwdriver, chain round file, spark plug key	Screwdriver, chain round file, spark plug key	
<b>CUTTING</b>				
Bar length	45 cm	45 cm	25 cm	
Bar length (inches)	18 "	18 "	10 "	
Bar type	Sprocket nose	Sprocket nose	Sprocket nose	
Chain brake	Manual and inertial	Manual and inertial	Manual and inertial	
Chain speed	23.10 m/s	23.10 m/s	22.86 m/s	
Chain tensioning system	Side screw tensioning	Side screw tensioning	Side screw tensioning	
Chain type	.325" .058" (21BPX-72X)	.325" .058" (21BPX-72X)	3/8" .050" (91PX-40X)	
Chain oil pump	Automatic adjustable	Automatic adjustable	Automatic	
Chain oil tank capacity	0.26 L	0.26 L	0.17 L	
<b>COMFORT</b>				
Handle type	Rear handle	Rear handle	Top handle	
Soft grip handle	Yes	Yes	Yes	
Product weight	8.01 kg	8.02 kg	4.87 kg	
Art. N.	240521802/ST1	240461802/ST1	240271012/ST2	240271002/ST2



CS 545 (16")	CS 540 (14")
<b>Experience</b>	<b>Experience</b>
5	5
Petrol 2-stroke	
1.90 kW	
42.40 cc	
Yes	
Manual with automatic return	
0.51 L	
Screwdriver, chain round file, spark plug key	
40 cm	
16 "	
Sprocket nose	
Manual and inertial	
23.10 m/s	
Side screw tensioning	
.325" .050" (95TXL-66X)	
Automatic adjustable	
0.26 L	
Rear handle	
Yes	
7.62 kg	
240421602/ST1	240381402/ST1

# Battery blowers



	<b>BL 900e</b>	<b>BL 700e</b>	<b>BL 500e</b>	<b>BL 100e Kit</b>
Level	<b>Expert</b>	<b>Experience</b>	<b>Experience</b>	<b>Essential</b>
Series	<b>9</b>	<b>7</b>	<b>5</b>	<b>1</b>
<b>POWER</b>				
Power source	Lithium-ion battery	Lithium-ion battery	Lithium-ion battery	Lithium-ion battery
Power	0.9 kW	0.5 kW	0.65 kW	0.28 kW
Battery voltage	48V	48V	48V	20V
Battery capacity	7.5 Ah	4 Ah	4 Ah	4 Ah
Working time min (+/- 20%)	100 min	26 min	30 min	40 min
Motor type	Brushless	Brushless	Brushless	With brushes
<b>BLOWING</b>				
Maximum air volume	15.80 m <sup>3</sup> /min	11.60 m <sup>3</sup> /min	11.40 m <sup>3</sup> /min	9 m <sup>3</sup> /min
Maximum air speed	55 m/s	60 m/s	55 m/s	32 m/s
<b>COMFORT</b>				
Vibe Control System (VCS)	Yes	Yes	No	No
Harness	Backpack	Single	No	No
Soft grip handle	Yes	Yes	Yes	No
Guaranteed sound power level (LwA)	94 dB(A)	95 dB(A)	96 dB(A)	92 dB(A)
<b>TOOLS KIT</b>				
Battery charger	2 x Single standard	Single standard	Single standard	Single standard
Battery charger output current	1.5 A	1.5 A	1.5 A	2 A
Product weight	2.85 kg	2.76 kg	2.80 kg	2.14 kg
Art. N. Battery kit included	PROMO_BL900EKIT **	PROMO_BL700EKIT *	278502108/ST3	271504108/ST2
Art. N. Battery kit NOT included	279500008/ST2	277500008/ST2	278500008/ST3	-

\*Battery and charger included for brushcutters, chainsaws, blowers and hedge trimmers of 7 Series

\*\*Battery, charger, battery belt included for brushcutters, blowers and hedge trimmers of 9 Series

# Vacuum shredder



## VS 100e Kit

Level	Essential
Series	1
<b>POWER</b>	
Power source	Lithium-ion battery
Power	0.6 kW
Battery voltage	20V
Battery capacity	2 x 4 Ah
Working time (+/- 20%)	23 min
Motor type	Brushless
<b>BLOWING</b>	
Maximum air volume	9.6 m <sup>3</sup> /min
Maximum air speed	55 m/s
Vacuum function	Yes
Mulching ratio	10:1
Collector type	Textile
Collector capacity	45 L
Collector emptying	Manual
Blade material	Aluminium
<b>COMFORT</b>	
Vibe Control System (VCS)	No
Harness	No
Soft grip handle	Yes
Guaranteed sound power level (LwA)	102 dB(A)
<b>TOOLS KIT</b>	
Speed selector	Yes
Battery charger	Dual standard
Battery charger output current	3 A
Product weight	2 kg
Art. N.	271504198/ST1
Battery kit included	

# Petrol blowers



	<b>BL 980 R</b>	<b>BL 530 V</b>	<b>BL 530</b>
Level	<b>Expert</b>	<b>Experience</b>	<b>Experience</b>
Series	<b>9</b>	<b>5</b>	<b>5</b>
<b>POWER</b>			
Power source	Petrol 2-stroke	Petrol 2-stroke	Petrol 2-stroke
Power	3.1 kW	0.8 kW	0.8 kW
Displacement	75.6 cc	27.6 cc	27.6 cc
Engine rotation speed	7000 rpm	7500 rpm	7500 rpm
Starter	Recoil	Recoil	Recoil
Primer	Yes	Yes	Yes
Choke	Manual with automatic return	Manual with automatic return	Manual with automatic return
Fuel tank capacity	2.10 L	0.45 L	0.45 L
<b>BLOWING</b>			
Maximum air volume	25 m <sup>3</sup> /min	10.2 m <sup>3</sup> /min	10.2 m <sup>3</sup> /min
Maximum air speed	100 m/s	72 m/s	72 m/s
Vacuum function	No	Yes	No
Collector type	-	Textile	-
Collector capacity	-	55 L	-
<b>COMFORT</b>			
Vibe Control System (VCS)	Yes	Yes	Yes
Harness	Backpack	Not included	Not included
Soft grip handle	Yes	Yes	Yes
Guaranteed sound power level (LwA)	112 dB(A)	109 dB(A)	109 dB(A)
Included tools kit	Screwdriver	Screwdriver	Screwdriver
Product weight	12.43 kg	4.96 kg	6.24 kg
Art. N.	255175102/ST1	255127002/ST1	255127092/ST2

# Corded blower



## BL 130c V

Level	Essential
Series	1
POWER	
Power source	Electric
Power	2.6 kW
Motor type	Brushless
BLOWING	
Maximum air volume	7 m <sup>3</sup> /min
Maximum air speed	92 m/s
Vacuum function	Yes
Collector type	Textile
Collector capacity	45 L
COMFORT	
Vibe Control System (VCS)	No
Soft grip handle	Yes
Guaranteed sound power level (LwA)	98 dB(A)
Product weight	4.62 kg
Art. N.	255260002/ST1

# Battery multi-tool



	MT 500e	MT 100e Kit
Level	Experience	Essential
Series	5	1
<b>POWER</b>		
Power source	Lithium-ion battery	Lithium-ion battery
Power (hedger function)	0.35 kW	0.15 kW
Power (pruner function)	0.35 kW	0.28 kW
Voltage	48V	20V
Lithium battery nominal energy	86.4 Wh	72 Wh
Battery capacity	2 Ah	4 Ah
Suggested battery capacity	2 Ah	4 Ah
Hedger working time (+/- 20%)	40 min	70 min
Pruner working time (+/- 20%)	15 min	20 min
Motor type	With brushes	With brushes
<b>CUTTING</b>		
Cutting length	44 cm	41.5 cm
Blade length	46 cm	45.5 cm
Teeth distance	28 mm	18 mm
Chain type	3/8" .050" (91PX040E)	3/8" .050" (91PJ033X)
Bar length	25 cm	20 cm
Chain speed	5 m/s	5 m/s
Chain oil pump	Automatic	
<b>COMFORT</b>		
Vibe Control System (VCS)	No	No
Harness	Single	Yes
Soft grip handle	Yes	
Handle type	Loop	Rear handle
Shaft extension	65 cm	55 cm
Product weight (hedger version)	6.10 kg	3.10 kg
Product weight (pruner version)	5.60 kg	3.20 kg
Art. N. Battery kit included	278722108/ST3	271724108/ST2
Art. N. Battery kit NOT included	278720008/ST3	-

## CUTTING AND TRIMMING

# Petrol multi-tool



	MT 330 - 5 in 1	Brushcutter	Hedge trimmer	Pruner
Level	<b>Experience</b>			
<b>POWER</b>				
Power source	Petrol 2-stroke	-	-	-
Power	0.7 kW	-	-	-
Displacement	25.4 cc	-	-	-
Engine rotation speed	1100 rpm	-	-	-
Starter	Easy start recoil	-	-	-
Primer	Yes	-	-	-
Choke	Manual	-	-	-
Fuel tank capacity	0.65 L	-	-	-
<b>CUTTING</b>				
Cutting width	-	43 cm	-	-
Nylon head type	-	Tap & Go dual line	-	-
Blade type (brushcutter)	-	3 T	-	-
Cutting length	-	-	40 cm	-
Blade length	-	-	43 cm	-
Teeth distance	-	-	25 mm	-
Bar length	-	-	-	25 cm
Chain type	-	-	-	3/8" .050" (91PJ-40X)
Chain speed	-	-	-	5.20 m/s
Chain oil pump	-	-	-	Automatic
<b>COMFORT</b>				
Vibe Control System (VCS)	Yes	-	-	-
Harness	Single	-	-	-
Soft grip handle	Yes	-	-	-
Handle type	Loop	-	-	-
Shaft extension	70 cm	-	-	-
<b>TOOLS KIT</b>				
Included tools kit	Spark plug key, screwdriver			
Product weight	7.10 kg	8.20 kg	9.20 kg	8.90 kg
Art. N.	287130152/ST2			

# Battery multi-mate



	<b>SGM 102 AE</b>	<b>SGM 72 AE</b>
Level	Essential	Essential
<b>POWER</b>		
Battery capacity		2.5 Ah
Power source		Lithium-ion battery
Motor type		With brushes
Voltage		7.2 V
Working time (+/- 20%)		75 min
Hedger working time (+/- 20%)		110 min
Shrub shear cutting length		180 mm
<b>COMFORT</b>		
Handle type		Fix
Product weight		0.75 kg
Art. N.	253010241/ST1	253007231/ST1
Battery kit included		



Cleaning



# Sweepers

**Remove debris, leaves, snow from walk-and driveways with ease.**

- Clear width up to 80 cm
- Electric start function
- Available power sources: push and petrol



# High pressure cleaners

**Designed to easily remove dirt, dust and mud off any surface.**

- Maximum pressure up to 150 bar
- Maximum flow rate up to 550 l/h



# Petrol sweepers



	<b>SWS 800 GE</b>	<b>SWS 600 GE</b>	<b>SWS 800 G</b>	<b>SWS 600 G</b>
Level	<b>Experience</b>	<b>Experience</b>	<b>Essential</b>	<b>Essential</b>
<b>POWER</b>				
Power source	Petrol	Petrol	Petrol 4-stroke	Petrol 4-stroke
Power	4.4 kW	4.4 kW	4.4 kW	4.4 kW
Engine brand	STIGA	STIGA	STIGA	STIGA
Engine model	SM70	SM70	SM70	SM70
Displacement	212 cc	212 cc	212 cc	212 cc
Maximum engine speed	3600 rpm	3600 rpm	3600 rpm	3600 rpm
Fuel tank capacity	3 L	3 L	3 L	3 L
Transmission type	Friction disc	Friction disc	Friction disc	Friction disc
<b>SWEEPING</b>				
Number of gears	6 forward + 2 reverse			
Working width	80 cm	60 cm	80 cm	60 cm
Brush diameter	345 mm	345 mm	345 mm	345 mm
Brush height adjustment	Yes - Pivoting wheels			
Max angle adjustment, left/right	15°/15°	15°/15°	15°/15°	15°/15°
Air filter type	Sponge + oil bath			
Brush material	Nylon	Nylon	Nylon	Nylon
Sweeping type	Forward	Forward	Forward	Forward
<b>COMFORT</b>				
Electric start	Yes	Yes	No	No
Product weight	70 kg	65 kg	70 kg	65 kg
Art. N.	219802532/ST1	219602532/ST1	219802532/S17	219602532/S17

# Push sweepers



	<b>SWP 577</b>	<b>SWP 475</b>	<b>SWP 355</b>
Level	<b>Experience</b>	<b>Experience</b>	<b>Essential</b>
<b>POWER</b>			
Power source	Push	Push	Push
<b>CLEANING</b>			
Rotating brush roller	Yes	Yes	Yes
Rotating brush roller length	46 cm	46 cm	40 cm
Sweeping performance	3000 m <sup>2</sup> /h	2900 m <sup>2</sup> /h	1600 m <sup>2</sup> /h
Sweeping type	Rear collection	Rear collection	Rear collection
Brush diameter	410 mm	410 mm	300 mm
Brush height adjustment	Yes - 8 steps	Yes - 8 steps	Yes - 3 steps
Brush material	Nylon	Nylon	Nylon
Collector capacity	50 L	50 L	20 L
Collector type	Plastic	Plastic	Plastic
Gear protection cover	Yes	No	No
<b>COMFORT</b>			
Adjustable handlebar	Yes	No	Yes
Transport handle	No	No	Yes
Handlebar type	Ergonomic	Flat	Ergonomic
Flexible seals	Yes	No	No
Product weight	14.60 kg	11.20 kg	7.20 kg
Art. N.	2W0775012/ST1	2W0755011/ST1	2W0552511/ST1

# Corded high pressure cleaners



	<b>HPS 650 RG</b>	<b>HPS 550 R</b>	<b>HPS 345 R</b>	<b>HPS 235 R</b>	<b>HPS 110</b>
Level	<b>Experience</b>	<b>Experience</b>	<b>Experience</b>	<b>Experience</b>	<b>Essential</b>
<b>POWER</b>					
Power source	Electric	Electric	Electric	Electric	Electric
Max pressure	150 bar	150 bar	145 bar	135 bar	110 bar
Max rated flow	550 l/h	520 l/h	450 l/h	440 l/h	390 l/h
Max water inlet temperature	50 °C	50 °C	50 °C	50 °C	50 °C
Motor class	Induction	Induction	Induction	Universal	Universal
Pressure adjustment	Yes	No	No	No	No
Pressure gauge	Standard	No	No	No	No
<b>CLEANING</b>					
Detergent adjustment	Yes - rotating knob	Yes - rotating knob	No	No	No
Detergent device	Built-in tank (1,0 l)	Built-in tank (1,0 l)	Foam sprayer (0,4 l)	Foam sprayer (0,4 l)	Foam sprayer (0,3 l)
Accessory holder	Onboard storage - Back	Onboard storage - Back	Foldable front cover	Foldable front cover	Onboard storage - Back
Gun material	Metal with soft touch	Metal with soft touch	Plastic	Plastic	Plastic
Gun type	STIGA T5	STIGA T5	STIGA T3	STIGA T3	STIGA T1
<b>COMFORT</b>					
Ergonomic extra handle	Yes	Yes	No	No	No
Pump material	Brass	Brass	Aluminium	Aluminium	Aluminium
Pump mechanical system	Wobble plate	Wobble plate	Wobble plate	Wobble plate	Wobble plate
Self priming	Yes	Yes	Yes	Yes	Yes
Total stop system (TSS)	Yes	Yes	Yes	Yes	Yes
Transparent water filter	Yes	Yes	Yes	Yes	Yes
Nozzle cleaning pin	Yes	Yes	Yes	Yes	Yes
Piston material	Stainless steel	Stainless steel	Stainless steel	Stainless steel	Stainless steel
Pistons number	3	3	3	3	3
Cable storage	Yes	Yes	Yes	Yes	Yes
Cable storage type	Side cord holder	Side cord holder	Side cord holder	Side cord holder	Side cord holder
Electric cable length	5 m	5 m	5 m	5 m	5 m
Hose quick release pump outlet gun	No	No	Yes	Yes	Yes
Hose reel	Yes	Yes	Yes	Yes	No
HP hose material	Steel reinforced	Steel reinforced	Steel reinforced	Supersoft	Textile PVC with reduced diameter
High pressure hose length	12 m	10 m	9 m	6 m	5 m
Product weight	27.70 kg	24.70 kg	17.30 kg	11.50 kg	5.50 kg
Art. N.	2C1502804/ST1	2C1502504/ST1	2C1452103/ST2	2C1351801/ST2	2C1101401/ST1



STIGA  
HPS 650 HG

# Snow throwers



# STIGA engines for winter applications

The right torque to easily tackle any kind of snow.  
Robust and resistant engines, able to manage  
temperatures down to  $-30^{\circ}\text{C}$ .

## Hydrostatic transmission

Infinitely variable speed to select the  
proper pace without stopping  
the machine.

## Effortless adjustments

Superior ergonomics, with carefully  
designed switches - close to the  
handle. Featuring a dashboard with  
buttons only - no levers, no joysticks -  
to enhance user experience, comfort  
and safety.

## High-quality materials

Belts are made of composite material  
for superior resistance. Both belts and  
friction discs are protected to prevent  
any water entering.



# Battery snow throwers

Ideal for clearing large areas with ease and zero emissions. STIGA battery snow throwers achieve great results with little noise and next-to-no maintenance. Lightweight and practical, dealing with fresh, powdery snow is really easy.



## Experience



Power with zero emission.

## Essential

Lightweight, easy and quick.



Cleaning fresh snow up to 50cm wide and 20cm deep

Cleaning fresh snow up to 15cm deep.



Driven by STIGA ePower 48V from 4 to 7.5 Ah

Driven by STIGA ePower 48V 2 Ah



Ergonomic, soft-grip handles  
Foldable handlebar  
Adjustable auger  
Transport handle  
LED headlights

Ergonomic, soft-grip handles  
Telescopic shaft  
Adjustable auger  
LED keypad  
Comfortable loop handle



IP44-protected battery slot

IP44-protected battery slot

ST 700e

ST 300e

# Petrol snow throwers

Equipped with powerful motors, STIGA petrol snow throwers are designed to clear even the most challenging build-ups of snow. The range of available models includes single and two-stage throwers. Two-stage throwers are the most effective choice when dealing with heavy, icy and thick snow.



## Expert



Top performance and full comfort

## Experience

For tougher jobs in total safety

## Essential

For quick and precise jobs



Heavy-duty tasks

Long working sessions

Lightweight, easy and quick



Engines up to 420 cc

Engines up to 375 cc

Engines up to 212cc



Easy control panel  
Adjustable chute and deflector  
Adjustable LED lights  
Hydrostatic transmission  
Fuel level indicator

Adjustable chute and deflector  
LED headlights

Adjustable chute and deflector



Superior resistance  
Heated handgrips  
Intuitive dashboards with few levers

Heated handgrips  
Easy control dashboard

Easy control dashboard

ST 966  
ST 976 T  
ST 7276 PH

ST 6272 P TRAC  
ST 5266 P TRAC  
ST 5266 P  
ST 5262 P

ST 4262 P

### What's my name?

T = Track // PH = Petrol with hydrostatic transmission (2021 reference) // P TRAC = Petrol with Track (2021 reference) // P = Petrol



## SNOW THROWER

# Battery snow throwers



	ST 700e	ST 300e
Level	<b>Experience</b>	<b>Essential</b>
Series	<b>7</b>	<b>3</b>
<b>POWER</b>		
Power source	Lithium-ion battery	Lithium-ion battery
Battery voltage	48V	48V
Battery capacity	4 Ah	2 Ah
Power	1000 W	450 W
<b>THROWING</b>		
Platform	One stage	Snow shovel
Auger width	50 cm	30 cm
Auger house height	30 cm	20 cm
Auger diameter	17 cm	15 cm
Auger type	Plastic	Plastic
Chute control	Manual - Center crank	-
Chute rotation	180°	-
Deflector control	Manual - On chute	Manual
Deflector material	Plastic	Plastic
Throwing performance	6 m	5 m
Steering type	Manual	-
Wheel type	Plastic, STIGA design	-
<b>COMFORT</b>		
Headlights	Led	-
Transport handle	Yes	Yes
One hand grip	Yes	-
Product weight	14.50 kg	14.50 kg
Art. N. Battery kit included	2S1500108/ST1	2S1330108/ST1
Art. N. Battery kit NOT included	2S1500101/ST1	2S1330101/ST1

# Petrol snow throwers



	ST 976 T	ST 966	ST 7276 PH	ST 6272 P TRAC
Level	Expert	Expert	Expert	Experience
<b>POWER</b>				
Platform			Two Stages	Two Stages
Power source			Petrol	Petrol
Power			9 kW	7.8 kW
Engine brand			STIGA	STIGA
Engine model			WS 420	WS 380
Displacement			420 cc	375 cc
Engine rotation speed			3600 rpm	3600 rpm
Electric start			Yes	Yes
Fuel tank capacity			5.50 L	5.50 L
<b>THROWING</b>				
Auger width			76 cm	72 cm
Auger house height			53 cm	53 cm
Auger diameter			37.50 cm	37.50 cm
Auger type			Steel - Saw toothed	Steel - Saw toothed
Chute control			Electric - Dash mounted switch	Manual - Dash mounted crank
Deflector control			Electric - Dash mounted switch	Manual - Dash mounted crank
Impeller diameter			37.50 cm	37.50 cm
Throwing performance			15 m	13 m
Number of gears			No	6 forward + 2 reverse
Transmission type			Hydrostatic	Friction disc
Steering type			2 trigger - steerable	1 trigger - steerable
<b>COMFORT</b>				
Central operation panel			Yes	Yes
Headlights			Led	Led
One hand grip			Yes	Yes
Overload protection			Shear bolts	Shear bolts
Heated handgrip			Yes	Yes
Product weight			134 kg	108.50 kg
Art. N.	2S2767615/ST1	2S2667515/ST1	2S2767711/ST1	2S2726611/ST1



<b>ST 5266 P TRAC</b>	<b>ST 5266 P</b>	<b>ST 5262 P</b>	<b>ST 4262 P</b>
<b>Experience</b>	<b>Experience</b>	<b>Experience</b>	<b>Essential</b>
Two Stages	Two Stages	Two Stages	Two Stages
Petrol	Petrol	Petrol	Petrol
6.2 kW	6.2 kW	5.2 kW	4.4 kW
STIGA	STIGA	STIGA	STIGA
WS 300	WS 300	WS 250	WS 210
302 cc	302 cc	252 cc	212 cc
3600 rpm	3600 rpm	3600 rpm	3600 rpm
Yes	Yes	Yes	Yes
4 L	4 L	3.20 L	3 L
66 cm	66 cm	62 cm	62 cm
53 cm	53 cm	51 cm	51 cm
37.50 cm	37.50 cm	30 cm	30 cm
Steel - Saw toothed			
Manual - Dash mounted crank			
Manual - Dash mounted crank			
37.50 cm	37.50 cm	30 cm	30 cm
12 m	12 m	11 m	8 m
6 forward + 2 reverse			
Friction disc	Friction disc	Friction disc	Friction disc
1 trigger - steerable	Automatic Diff.lock release	Automatic Diff.lock release	Standard
Yes	Yes	Yes	Yes
Led	Led	Led	No
Yes	Yes	Yes	Yes
Shear bolts	Shear bolts	Shear bolts	Shear bolts
Yes	Yes	Yes	No
108.50 kg	96 kg	95 kg	90 kg
2S2666611/ST1	2S2664611/ST1	2S2624511/ST1	18-2841-31

# Soil and ground care





## Tillers

**Break up clods of soil into a more manageable consistency with ease.**

- Working width up to 85 cm
- Operating depth up to 260 cm
- Available power sources: petrol



## Scarifiers

**Drill grooves into the ground, allowing water and oxygen to permeate the soil.**

- Working width up to 40 cm
- Up to 32 blades
- Available power sources: petrol and corded



## Chippers & Shredders

**Reduce garden waste in a clean, nature-kind way.**

- Maximum branch diameter up to 40 cm
- Collector capacity up to 60l
- Available power sources: corded

# Petrol scarifiers



## SVP 40 G

Level	<b>Experience</b>
<b>POWER</b>	
Power source	Petrol 4-stroke
Power	4 kW
Displacement	182 cc
Starter	Recoil
Fuel tank capacity	3600 rpm
Engine Oil tank capacity	3 L
Engine rotation speed	0.60 L
<b>CUTTING</b>	
Working method	32 floating knives
Working width	40 cm
Working depth	1.50 cm
Number of blades	32
<b>COMFORT</b>	
Collector capacity	50 L
Wheels size	180 mm
Product weight	44 kg
Art. N.	211400248/ST1

# Corded scarifiers



	<b>SV 415 E</b>	<b>SV 213 E</b>
Level	Essential	Essential
<b>POWER</b>		
Power source	Electric	Electric
Power	1.5 kW	1.3 kW
Motor type	With brushes	With brushes
<b>CUTTING</b>		
Working method	20 blades or 44 springs	16 blades or 36 springs
Working width	38 cm	32 cm
Working depth	1.30 cm	0.60 cm
Number of blades	20	16
Number of springs	44	36
Double function	Yes	Yes
<b>COMFORT</b>		
Collector capacity	50 L	40 L
Wheels size	160 mm	200 mm
Product weight	14.50 kg	10.20 kg
Art. N.	290002152/14	290002132/14

# Chipper and shredders

**Bio Silent 2500****Bio Master 2200**

	<b>Bio Silent 2500</b>	<b>Bio Master 2200</b>
Level	Essential	Essential
<b>POWER</b>		
Power source	Electric	Electric
Power	2.5 kW	2.2 kW
Motor type	Brushless	With brushes
<b>CUTTING</b>		
Cutting method	Rotating roller with 8 teeth	Double reversible knives
Maximum branch diameter	40 mm	40 mm
Reverse function	Yes	No
Adjustable working width	Yes	No
<b>COMFORT</b>		
Collector capacity	60 L	50 L
Collector type	Plastic	Textile
Guaranteed sound power level (LWA)	97 dB(A)	102 dB(A)
<b>TOOLS KIT</b>		
Included tools kit	Feeder	Feeder
Product weight	27.43 kg	11.31 kg
Art. N.	290001252/14	290000222/ST1

# Petrol tillers



	<b>SRC 685 RG</b>	<b>SRC 585 RG</b>	<b>SRC 36 V</b>
Level	<b>Experience</b>	<b>Experience</b>	<b>Essential</b>
<b>POWER</b>			
Power source	Petrol 4-stroke		Petrol 4-stroke
Power	3.5 kW		1.9 kW
Displacement	182 cc		123 cc
Engine model	TM 60		ST 120 OHV Autochoke
Engine brand	STIGA		STIGA
Fuel tank capacity	3 L		0.75 L
Gear case oil capacity	0.50 L		0.25 L
Air filter type	Oil bath		Sponge
<b>CUTTING</b>			
Transmission type	Chain and gear in oil bath + belt		Worm and gear in oil bath + belt
Number of gears	2 forward + 1 reverse		1 forward
Working width	85 cm		36 cm
Rotors diameter	245 mm		245 mm
Rotors number	6		4
Tree saver discs	Yes		No
<b>COMFORT</b>			
Wheel type	Plastic + Rubber		Plastic + Rubber
Transport wheels	1 front wheel		1 front wheel
Adjustable handlebar	Yes		Yes
Soft grip handle	Yes		Yes
Product weight	62.50 kg		29 kg
Art. N.	213851142/ST1	213601041/ST1	211360042/ST1

# The future is connected



**STIGA.Service  
dealer app**



**STIGA.Service is a dealer-dedicated app compatible with all STIGA connected products. It supports the dealer in checking the machines' status remotely**




## **Machine details**

The dealer can access all useful information: issue list, working time, activities log download, battery status, winter recharge information, number of charge/discharge.



## **Installation and initial configuration**

The dealer can install and configure Stig through the STIGA.Service app, with dedicated functions.





## STIGA.GO consumer app



### Machine setup & working parameters

The app allows robot owners to schedule sessions, switch to Eco-mode, manage cutting parameters. For electric tractor owners, the app works as virtual dashboard while mowing.



### Find my dealer

Link with the selected service point in order to have a quick and effectiveness answer in case of fault.



### All the machine information at a glance

Total working time, cutting sessions list, maintenance activities to do.



### Warranty registration

The user can easily register the product from the app and access all information related to the warranty at any time.



Electric tractor



Robot mower



Park front mower

The STIGA logo is positioned in the top left corner of the page. It consists of the word "STIGA" in a bold, white, sans-serif font, with a small white swoosh element preceding the letter "S".

STIGA

# 2023 Accessories

## **134 Battery kits**

---

- 134 48V
- 136 20V

## **138 Mowing**

---

- 138 Robot mowers
- 139 Lawn mowers
- 140 Front mowers
- 145 Lawn tractors

## **150 Cleaning**

---

- 150 High pressure cleaners
- 151 Sweepers

## **152 Hand-held tools**

---

- 152 Brushcutters & lawn trimmers
- 155 Multi-mate

## **157 Soil and ground care**

---

- 157 Tillers

## **158 Safety clothing**

---

## **160 Lubricants and oil**

---

## **162 Toys**

---

# 48V Batteries and chargers



## 48V batteries

	<b>E 475</b>	<b>E 450</b>	<b>E 440</b>	<b>E 420</b>
Voltage	48V	48V	48V	48V
Capacity	7.5 Ah	5 Ah	4 Ah	2 Ah
Charging time fast / std	330 min / 180 min	220 min / 120 min	180 min / 110 min	90 min / 50 min
Weight	2.12 kg	1.44 kg	1.36 kg	0.88 kg
Art. N.	277017008/ST1	277015008/ST1	277014008/ST1	277012008/ST1



## 48V chargers

	<b>EC 415 D</b>	<b>EC 430 F</b>	<b>EC 415 S</b>
Voltage	48V	48V	48V
Plug type	Eu plug	Eu plug	Eu plug
Type	Dual standard	Fast	Single standard
Output current	1.5 Ah	3 Ah	1.5 Ah
Art. N.	277020208/ST1	277030008/ST1	277020008/ST1

## Battery harness

	<b>BH 900e</b>
Voltage	48V
Capacity	Max. 2 batteries
Weight	4.60 kg
Art. N.	279050008/ST2



## Battery simulator

	<b>E 400 S</b>
Weight	0.35 kg
Art. N.	27010008/ST1



## Battery belt

	<b>BB 700e</b>
Tools Kit	Holder, belt, cable
Weight	1.60 kg
Art. N.	277040008/ST1





EP-POWER  
**TIGA**  
E 475

EP-POWER  
**TIGA**  
E 450

EP-POWER  
**TIGA**  
E 440

# 20V

## Batteries and chargers



### 20V batteries

	<b>E 24</b>	<b>E 22</b>
Voltage	20V	20V
Battery type	Lithium-ions	Lithium-ions
Capacity	4 Ah	2 Ah
Charging time	140 min	70 min
Weight	0.64 kg	0.39 kg
Art. N.	271014008/ST1	271012008/ST1



### 20V chargers

	<b>C 215 D</b>	<b>C 215 S</b>
Voltage	1.5 Ah	1.5 Ah
Plug type	Eu plug	Eu plug
Type	Dual standard	Single standard
Output current	2 A	2 A
Art. N.	271020100/21	271020000/21



# Robot mowers



Description	Code	Fits for	Specification
Installation KIT Small	1127-0012-01	Wire-guided robot mowers	Ø 2,7 mm - L 150 m cable + 200 pegs + 5 connectors + 5 charging base connectors
Installation KIT Medium	1127-0013-01	Wire-guided robot mowers	Ø 2,7 mm - L 300 m cable + 400 pegs + 5 connectors + 5 charging base connectors
Perimeter cable 150 m	1127-0000-01	Wire-guided robot mowers	Ø 2.7 mm - L 150 m
Perimeter cable 300 m	1127-0001-01	Wire-guided robot mowers	Ø 2.7 mm - L 300 m
Perimeter cable 500 m	1127-0002-01	Wire-guided robot mowers	Ø 3.4 mm - L 5000 m
Perimeter cable connectors	1127-0004-01	Wire-guided robot mowers	5 pcs
Charging base connectors	1127-0005-01	Wire-guided robot mowers	5 pcs
Perimeter cable pegs	1127-0006-01	Wire-guided robot mowers	100 pcs
Charging base pegs	1127-0008-01	Wire-guided robot mowers, Autonomous robot mowers	7 pcs
Cutting blades	1127-0009-01	Wire-guided robot mowers, Autonomous robot mowers	12 pcs
Charging base extension cable	1127-0010-01	Wire-guided robot mowers, Autonomous robot mowers	5 m
Charging base cover	1127-0011-01	Wire-guided robot mowers, A 1500	N.A.
Small garden resistor	122063053/0	Wire-guided robot mowers	

# Lawn mowers



1



2

## Engine kits

Description	Code	Pos.	Fits for
Engine service kit	1111-9285-01	1	For Briggs & Stratton 300E-450E-500E series
Engine service kit	1111-9286-01	1	For Briggs & Stratton 550E-575E-625E Series
Engine service kit	1111-9287-01	1	For Briggs & Stratton DOV 700E-750EX-775iS Series
Engine service kit	1111-9288-01	1	For Briggs & Stratton 650Exi-675 Exi Series - 675iS Series
Engine service kit	1111-9289-01	1	For ST WBE170, ST WBE170 LS
Engine service kit	1111-9301-01	1	For WBE120 - 140
Kit oil and fuel extractor	1134-9188-01	2	Suitable for extraction of oil and fuel from all 4 stroke engines

## Maintenance



1 - 2

Packaging dimensions: 28 x 21 x 9 cm  
Gross weight small: 0.565 kg approx.  
Gross weight large: 0.680 kg approx.



3

Packaging dimensions: 11.5 x 3.5 x 11 cm  
Gross weight: 0.150 kg approx.

Description	Code	Pos.	Measures
Small protective cover for walk-behind	1111-9225-01	1	145 x 50 x 110 cm
Large protective cover for walk-behind	1111-9226-01	2	180 x 50 x 110 cm
Scraper	1111-9227-01	3	-

# Front mowers

Products	Code	Pos.	Park 300M	Park 300	Park 500	Park 500 W
Cargo rails for Park Pro <sup>(1)</sup>	2A0000060/S16	1				
Carrier Case	2A4052000/S16	2				
Combi cart plastic	13-0952-11	3	X	X	X	X
Dust cover for sweeper 85 cm	13-3916-61	4			X	X
Dust cover for sweeper 95 cm	13-1936-62	4			X	X
Edge cutter 2+4WD	13-3911-61	5			X	X
Fertiliser spreader	13-0955-11	6	X	X	X	X
Flail mower axle <sup>(1)</sup>	13-1985-11	7				
Flail mower EL complete, Park 2+4 WD	13-3902-11	8				
Flail mower, complete, Park 2+4 WD	13-0976-11	9				
Frame weights 2x13,5 kg <sup>(1)</sup>	13-0921-62	10				
Frame weights 2x17 kg	13-0939-61	11			X	X
Grass & leaf collector 42"	13-3926-11	12	X	X	X	X
Grass & leaf collector 42" compact	2A6107010/S17	13	X	X	X	X
Lawn rake axle <sup>(1)</sup>	13-1986-11	14				
Lawn rake EL complete, Park 2+4 WD	13-3901-11	15				
Lawn rake, complete, Park 2+4WD	13-0975-11	16				
Mulching Kit (Including blades)	2A0130060/ST1	17				
Poly Roller	299900260/0	18	X	X	X	X
Pro cart galvanized	13-3906-11	19	X	X	X	X
Protective cover STIGA	2A0000000/S16	20	X	X	X	X
RAC Quick connection <sup>(1) (2)</sup>	13-0994-61	21				
RAC Quick connection 2WD Park <sup>(1) (2)</sup>	13-0992-62	22				
RAC Quick connection 4WD Park <sup>(1) (2)</sup>	13-0993-61	22				
Rake tool 100 cm Park (in combination with tool lift)	13-3913-11	23				
Rake tool 130 cm Park (in combination with tool lift)	13-3914-11	24				
Rear tool lift, Electric, Park	13-3919-11	25				
Rear tool lift, manual, Park	13-3909-11	26				
Rubber scraper bar 107 cm <sup>(1)</sup>	13-3904-61	27				
Rubber scraper bar 120 cm	13-1958-62	27			X	X
Rubber scraper Hydraulic blade	13-3934-61	27				
Rubber scraper Hydraulic X Blade	13-3933-61	28				
Sand spreader Park	13-1975-14	29				
Side brush accessory	13-3915-11	30				
Snow blade 107 cm universal <sup>(1)</sup>	13-3922-61	31				
Snow blade 120 cm Park	13-3917-61	32			X	X
Snow Blade for Park 120 -220	2A3107020/S16	33	X	X		
Snow Blade Park Hydraulic	13-3932-11	34				
Snow chains 16"x6 <sup>(1)</sup>	13-0940-61	35				
Snow Chains 16"x7,5	13-0936-61	36			X	X
Snow Chains 160/50-8	13-3927-61	36	X	X		
Snow Chains 17"x8	13-0937-61	36				
Snow thrower 2-stage Hydraulic	13-3930-11	37				
Snow thrower 2-stage Park Pro	13-0922-12	38				
Snow thrower Park 2+4WD	13-0974-11	39			X	X
Snow tyres spikes	299900450/0	40			X	X
Spring hoe	13-0978-61	41			X	X
Sweeper for Park 120 - 220	2A1100040/S16	42	X	X		
Sweeper Park 2+4 WD	13-0977-11	43			X	X
Sweeper Park hydraulic	13-3929-11	44				
Sweeper Villa e Park 2+4WD	13-3918-61	45			X	X
Sweeper with collector	13-3910-11	46				
Trailer hitch	2A0000060/ST1	47				
Winter wheels Park, pair 16"	2A9000050/S16	48			X	X
X blade Park Hydraulic	13-3931-11	49				
ZTR 52" Mulching Kit (Including blades)	2A0130060/S17	50				

(1) Compatible with the old range

(2) Park models already equipped with RAC

Park 500 WX	Park Special	Park 700 W	Park 700 WX	Park 900 WX	Park Pro 900 WX	Park Pro 900 AWX
					X	X
X	X	X	X	X	X	X
X	X	X	X	X		
X	X	X	X	X	X	X
X	X	X	X	X	X	X
X	X	X	X	X	X	X
		X	X	X	X	X
		X	X	X	X	X
X	X	X	X	X		
X	X	X	X	X	X	X
X	X	X	X	X	X	X
		X	X	X	X	X
		X	X	X	X	X
X	X	X	X	X	X	X
X	X	X	X	X	X	X
X	X	X	X	X	X	X
		X	X	X	X	X
		X	X	X	X	X
		X	X	X	X	X
X	X	X	X	X	X	X
X	X	X	X	X	X	X
X	X	X	X	X	X	X
					X	X
					X	X
					X	X
X	X	X	X	X	X	X
X	X	X	X	X	X	X
X	X	X	X	X	X	X
X	X	X	X	X	X	X
X	X	X	X	X	X	X
						X
X	X	X	X	X	X	X
		X	X	X	X	X
X	X	X	X	X	X	X
						X



1. Cargo rails



2. Carrier Case



3. Combi cart




4. Dust cover



5. Edge cutter



6. Fertiliser spreader



7. Flail mower axle



8. Flail mower complete



9. Flail mower complete



10. Frame weights



11. Frame weights



12. Grass & leaf collector



13. Grass & leaf collector



14. Lawn rake axle



15. Lawn rake complete



16. Lawn rake complete



17. Mulching Kit



18. Poly Roller



19. Pro cart galvanized



20. Protective cover STIGA



21. RAC Quick connection



22. RAC Quick connection



23. Rake tool



24. Rake tool



25. Rear tool lift electric



26. Rear tool lift manual



27. Rubber scraper bar / blade



28. Rubber scraper blade



29. Sand spreader



30. Side brush



31. Snow blade



32. Snow blade



33. Snow blade



34. Snow blade



35. Snow chains




36. Snow chains



37. Snow thrower



38. Snow thrower



39. Snow thrower



40. Snow tyres spikes



41. Spring hoe



42. Sweeper



43. Sweeper



44. Sweeper



45. Sweeper



46. Sweeper



47. Trailer hitch



48. Winter wheels




49. X blade



50. Mulching Kit



# Lawn tractors



Description	Code	Pos	Fits for	Lenght	Type	Width	Q.ty
Blade	1134-9232-01	1	Tornado 6118 HW, 7118 HWS, Pro 9118 XWS	417 mm	mulching	118 cm	3
Blade	1134-9233-01	2	Tornado 6118 HW, 7118 HWS, Pro 9118 XWS	417 mm	winged	118 cm	3
Blade RH + Blade LH	1134-9220-01	2	SC 84, SC 84 B, ESTATE 2084, ESTATE 2084 H, ESTATE 3084 H, ESTATE 3098 H	418 mm	mulching winged	84 cm	1 + 1
Blade RH + Blade LH	1134-9224-01	2	Estate Collector, Senator, President, SC: 9013, 9214 (2011-), ESTATE 4092 H, ESTATE 5092 H	457 mm	winged	92 cm	1 + 1
Blade RH + Blade LH	1134-9226-01	2	Estate 3098 H, 3398 H, 3398 HW, Estate 3098 H	490 mm	winged	98 cm	1 + 1
Blade RH + Blade LH	1134-9234-01	2	Estate 3098 H, 3398 H, 3398 HW, Estate 3098 H	490 mm	mulching	98 cm	1 + 1
Blade RH + Blade LH	1134-9221-01	3	Estate Master, Master Hst, 2084, ESTATE 2084 H, ESTATE 3084 H	418 mm	mulching	84 cm	1 + 1
Blade	1134-9225-01	3	Estate Tornado, Tornado J4, HST 17, Pro HST 13; SD: 9813, 9812 (2011-), 9814 H (2011-), 98 B, 2098, 2098 H	486 mm	mulching	98 cm	1 + 1
Blade RH + Blade LH	1134-9223-01	3	Estate Collector, Senator, President, SC: 9013, 9214 (2011-), ESTATE 4092 H, ESTATE 5092 H	456 mm	mulching	92 cm	1 + 1
Blade RH + Blade LH	1134-9222-01	4	Estate Collector, President, Senator, Senator 14, HST 17, Pro HST 17 (2011), Senator HST, Senator HST Special, Senator H HST; SC: 9013, 9214, 92H, 92 B, 6092 HW, ESTATE 4092 H, ESTATE 5092 H	460 mm	mulching winged	92 cm	1 + 1
Blade RH + Blade LH	1134-9229-01	4	Estate Grand Royal 22, Grand Overland 24E/24 Four-wheel drive/Pro 25 Four-wheel drive E (2010), Grand Royal, Grand Overland Four-wheel drive/ PRO Four-wheel drive E, PRO 9122 HWS, ESTATE PRO 9122 XWSY, ESTATE 7122 HWS	617 mm	mulching winged	122 cm	1 + 1
Blade RH + Blade LH	1134-9227-01	5	Estate Royal, 19 (2010-), Pro 17 (2010-), Pro, Overland, Overland 22 Four-wheel drive (2010-), Royal special, Royal H, Overland Four-wheel drive, Estate: 5102 H, 5102 HW, 7102 HWSY; ST: 10214, 10216 H (2011-), 102, 6102 HW, PRO 9102 XWS	517 mm	mulching winged	102 cm	1 + 1
Blade RH + Blade LH	1134-9228-01	6	Estate Royal, Royal 19 (2010-), Pro 17 (2010-), Pro, Overland, Overland 22 Four-wheel drive (2010-); ST 10214, ESTATE 6102 HW, PRO 9102 XWS	518 mm	winged	102 cm	1 + 1
Blade	1134-9231-01	7	Estate Grand Tornado 17, HST 19, Pro HST 17 (2011-), Grand Tornado, Grand Tornado HST, Grand Tornado H HST; SD: 108 H, 10816, 5108 HW, Tornado 5108 HW, TORNADO 4108 H, 5108 H, 6108 HW, 7108 HWS, 3108 H, 3108 HW, 4108 H, 7108 HWSY	533 mm	mulching winged	108 cm	2
Blade	1134-9219-01	9	Garden: Combi, Combi HST 14, Combi HST, Combi H HST, Pro HST 13, Combi 3072	707 mm	mulching winged	72 cm	1
Blade RH + Blade LH	1134-9230-01	8	Estate Grand Royal 22, Grand Overland 24E/24 Four-wheel drive/Pro 25 Four-wheel drive E (2010-), ESTATE 7122 HWS	618 mm	winged	122 cm	1 + 1
Blade	1134-9218-01	8	SR: 66E, 66 EB, Garden: Compact E HST, Compact E HST B, Combi: 1066H, 1066HQ, Tornado 1066H	649 mm	mulching	66 cm	1

# Lawn tractors

Description	Code	Pos.	Swift (72 cm)	Collecting 3-5 (84 cm)	Collecting 7 (98 cm)	Side discharge 3-5 (98 cm)	Side discharge 7 (108 cm)	Combi 1 (66 cm)	Combi 3 (72 cm)
Rear deflector	299900311/0	N.A.	x						
	299900310/0	1		x	x				
	299900016/0	2							
Mulching kit (plug)	299900044/0	N.A.	x						
	210300001/21	N.A.							
	210330001/21	N.A.							
	210205000/19	3		x					
	210205001/19	4			x				
	299900341/0	5				x			
	299900346/0	6					x		
	299900135/0	7						x	
	299900036/0	8							x
	299900038/1	N.A.							
	299900055/0	9							
	299900046/0	10							
299901055/0	11								
299901056/0	12								
Mulching kit (plug & blades)	299900037/0	13							x
	299900370/1	14		x					
	299900374/0	15			x				
	299900070/1	N.A.							
	299900074/0	16							
	299900076/0	17							
	210330000/17	18							
	299901074/0	19							
	299901077/0	20							
	210300000/17	21							
PTO kit (multi connect system)	299900750/1	22							
	211000100/17	23							
Trailer hitch	299900395/0	24		x	x				
	299900006/0	25							
	210000000/17	26							
	299901006/0	27							
Combi cart	299900385/0	28				x	x		
	13-0952-11	29		x	x	x	x		
Pro cart galvanized	13-3906-11	30		x	x	x	x		
Grass & leaves collector 42" compact	2A6107010/S17	31							
Fertilizer spreader	13-0955-11	32		x	x	x	x		
Sand spreader <sup>(1)</sup>	13-1975-14	33							
Poly roller 23"	299900260/0	34							
Poly roller 36"	210800100/18	34							
Rear weight	210900100/17	35							
Winter tyres 18"	299900150/0	36							
Winter tyres 18"	299900430/0	37		x	x	x	x		
Winter tyres 20"	211500000/18	37							
Snow chain 18"	299900470/1	38		x	x	x			
Snow chain 20"	299900480/1	38							
Snow tyre spikes	299900450/0	39		x	x	x	x		
Snow blade 107 cm	299903410/1	40		x	x	x	x		
Snow blade 120 cm	299900400/0	40							
Snow blade 120 cm (Multi Connect System)	299900400/1	40							
Snow blade 125 cm (Multi Connect System)	211300100/17	40							
Sweeper 105 cm (Multi Connect System) <sup>(2)</sup>	299900500/1	41							
Sweeper 120 cm (Multi Connect System)	211200100/17	42							
Green keeper 110 cm (Multi Connect System)	211900100/17	43							
Flail mower 105 cm (Multi Connect System)	299900540/0	44							
Lawn striping kit	212120000/18	45							
STIGA protective cover	1134-9177-01	46	x	x	x	x	x	x	
Phone holder STIGA classic <sup>(3)</sup>	1134-9328-01	N.A.	x	x		x			
Phone holder STIGA comfort <sup>(3)</sup>	1134-9329-01	N.A.	x	x	x	x	x		
STIGA battery e 450 - 5.0 Ah	277015008/ST1	47	x						
STIGA battery e 475 - 7.5 Ah	277017008/ST1	48	x						
Gear lubricant grease	1111-9298-01	N.A.							

(1) Need to order the cable 182040074/0  
 (2) Front rubber for sweeper 299900505/1

(3) Availability & price to be defined  
 (4) Availability to be defined





1. Rear deflector



2. Rear deflector



3. Mulching kit (plug)



4. Mulching kit (plug)



5. Mulching kit (plug)



6. Mulching kit (plug)



7. Mulching kit (plug)



8. Mulching kit (plug)



9. Mulching kit (plug)



10. Mulching kit (plug)



11. Mulching kit (plug)



12. Mulching kit (plug)



13. Mulching kit (plug & blades)



14. Mulching kit (plug & blades)



15. Mulching kit (plug & blades)



16. Mulching kit (plug & blades)



17. Mulching kit (plug & blades)



18. Mulching kit (plug & blades)



19. Mulching kit (plug & blades)



20. Mulching kit (plug & blades)



21. Mulching kit (plug & blades)



22. Pto kit



23. Pto kit



24. Trailer hitch



25. Trailer hitch



26. Trailer hitch



27. Trailer hitch



28. Trailer hitch



29. Combi cart



30. Pro cart galvanized



31. Grass & leaves collector



32. Fertilizer spreader



33. Sand spreader



34. Poly roller



35. Rear weight



36. Rear weight



37. Winter tyres



38. Snow chain



39. Snow tyre spikes



40. Snow blade



41. Sweeper



42. Sweeper



43. Green keeper



44. Flail mower



45. Lawn striping kit



46. STIGA protective cover



42. STIGA battery E 450



43. STIGA battery E 475

# High pressure cleaners



Code	Description	HPS 110	HPS 235 R	HPS 345 R	HPS 550 R	HPS 650 RG
1500-9000-01	Trigger gun T1	S	-	-	-	-
1500-9001-01	Trigger gun T3	-	S	S	-	-
1500-9002-01	Trigger gun T5	-	-	-	S	S
1500-9003-01	Rotary jet nozzle T1-T3	S	S	S	-	-
1500-9004-01	Adjustable jet nozzle T1	S	-	-	-	-
1500-9030-01	Adjustable jet nozzle T2	-	S	-	-	-
1500-9005-01	Adjustable jet nozzle T3	-	-	S	-	-
1500-9006-01	Lance extension T1	S	-	-	-	-
1500-9007-01	Lance extension T3	-	S	S	-	-
1500-9034-01	Extention lance	S	S	S	-	-
1500-9035-01	Extention lance	-	-	-	S	S
1500-9008-01	Lance T5	-	-	-	S	S
1500-9009-01	Lance T5	-	-	-	S	S
1500-9010-01	HP hose	S	S	S	-	-
1500-9011-01	HP steel reinforced hose	-	-	-	S	S
1500-9032-01	HP steel reinforced hose	-	-	S	-	-
1500-9033-01	Supersoft hose	-	S	-	-	-
1500-9031-01	Foam spray bottle kit	S	S	S	-	-
1500-9013-01	Mini Patio	O	O	O	-	-
1500-9014-01	Patio Deluxe	-	-	-	O	O
1500-9015-01	Fixed brush	O	O	O	O	O
1500-9016-01	Rotary Brush	O	O	O	O	O
1500-9017-01	Water suction kit	O	O	O	O	O
1500-9018-01	Pipe drain hose kit 10 m	O	O	O	O	O
1500-9019-01	Pipe drain hose kit 16 m	O	O	O	O	O
1500-9020-01	Underbody lance kit	O	O	O	-	-
1500-9021-01	Hose extension	O	O	-	-	-
1500-9022-01	Hose extension	-	-	O	O	O
1500-9023-01	Click fast kit	O	O	O	O	O
1500-9024-01	Inspectable water filter	S	S	S	S	S
1500-9025-01	Adaptors kit	O	O	O	O	O
1500-9026-01	Adaptors kit	O	O	O	O	O
1500-9027-01	Detergent	O	O	O	O	O
1500-9028-01	Detergent	O	O	O	O	O
1500-9029-01	Detergent	O	O	O	O	O

S = Standard O = optional

## Starting Kit Compact

Description Code EAN Code  
HPS STARTING KIT COMPACT 2C0000000/ST1 8008984803176

Components	Q.ty	HPS 110	HPS 235 R	HPS 345 R	HPS 550 R	HPS 650 RG
Mani Patio quick connection	3	O	O	O	-	-
Fixed brush	5	O	O	O	O	O
Rotary brush	5	O	O	O	O	O
HP hose extension 8 m	5	O	O	-	-	-
Click fast kit	5	O	O	O	O	O
Inspectable water filter	5	O	O	O	O	O
Underbody lance kit	5	O	O	-	-	-
Adaptors kit	5	O	O	O	O	O

S = Standard O = optional

## Starting Kit Premium

Description Code EAN Code  
HPS STARTING KIT PREMIUM 2C0000001/ST1 8008984803183

Components	Q.ty	HPS 110	HPS 235 R	HPS 345 R	HPS 550 R	HPS 650 RG
Mani Patio quick connection	3	O	O	O	-	-
Patio Deluxe quick connection	3	-	-	-	O	O
Fixed brush	5	O	O	O	O	O
Rotary brush	5	O	O	O	O	O
Pipe drain hose kit 16 m	5	-	-	-	O	O
HP hose extension 8 m	5	O	O	-	-	-
Reinforced HP hose extension 8 m	5	O	O	-	O	O
Click fast kit	5	O	O	O	O	O
Inspectable water filter	5	O	O	O	O	O
Underbody lance kit	5	O	O	O	-	-
Adaptors kit	5	O	O	O	O	O

S = Standard O = optional

## Sweepers



1 - 2  
Collecting box



3 - 4  
Front blade

Code	Pos.	Product name	Sweepers 800	Sweepers 600
290802020/16	1	Collecting box 80 cm - 7 kg	X	
290602020/16	2	Collecting box 60 cm - 6 kg		X
290802030/16	3	Front blade 80 cm - 6 kg	X	
290602030/16	4	Front blade 60 cm - 5kg		X

# Brushcutters and lawn trimmers

## Trimmer heads



Description	Code	Pos.	Specification	Fits for	Contains
Spool w. line	1911-9292-01	N.A.	-	GT 100e Kit	-
Spool w. line	1911-9125-01	1	-	GT 104c	-
Spool w. line	1911-9126-01	2	-	GT 106c	-
Spool w. line	1911-9251-01	3	-	GT 500e	-
Trimmer head	118801750/0	4	M8-male x 1.25, RH-thread	GT 110c A	-
Trimmer head	118801751/0	5	M10-female x 1.25, LH-thread	BC 110c A	-
Trimmer head	118801753/0	6	M8-female x 1.25, RH-thread	GT 330 A	118801753/0
Trimmer head	1911-9142-01	7	M8-female, RH-thread	SBC 425 H, 435 H, 627 K, 635 K, 643 K, 645 K, 653 K (mono - duplex - flex)	-
Trimmer head	1911-9296-01	7	M10x1.25-LH	BC 330 A, BC 330 AB, BC 535, BC 535 B, BC 545, BC 545 B, BC 555 B, BC 555 R, MT 330	118810719/0

## Bump&Work

Description	Code	Specification	Fits for
Trimmer head - Ø 109	1911-9298-01	1.25 RH Female with adaptor M8 & M10	GT 730 A, MT 330
Trimmer head - Ø 130	1911-9227-01	M8 x 1.25 LH Female	BC 535, BC 535 B, BC 545, BC 545 B, BC 555 B, BC 555 R, BC 740 B, BC 750 B, BC 750 R, BC 760 R
Trimmer head - Ø 109	1911-9230-01	M8 x 1.25 LH Male	
Trimmer head - Ø 130	1911-9231-01	M8 x 1.25 LH Male	

## Bump&Work - Easy load

Description	Code	Specification	Fits for
Trimmer head - Ø 109 25-33 cc	1911-9228-01	Adaptor: M10 x 1.25 LH Female	SB 28 - SB 28J - SB 28JD - SB33 - SB 33D - SBK 27 - SBK 27D - SBK 35 - SBK 35D - SBC 627K - SBC 627KD - SBC 635K - SBC 635KD - SB 425H - SB 425HD - SBC 425H - SBC 425HD - SBC 435H - SBC 435HD
		Adaptor: M8 x 1.25 LH Male	SB 29 - SB 29S - SB 29D - SB 29DS - SB 35 - SB 35S - SB 35D - SB 35DS - SB 435H - SB 435HD
Trimmer head - Ø 130 >33cc	1911-9229-01	Adaptor: M10 x 1.25 LH Female	SB 44 - SB 44D - SBK 45 - SBK 45D - SBK 45F- SBK 53 - SBK 53D - SBK 53F - SBC 645KF
		Adaptor: M8 x 1.25 LH Male	SB 43 - SB 43S - SB 43D - SB 43DS - SB 43FS - SB 51S - SB 51DS - SB 51FS
Trimmer head - Ø 102	1911-9299-01	M8 x 1.25 RH Female	500-700 series
Trimmer head - Ø 102	1911-9300-01	M10 x 1.25 RH	900 series

## Adaptors

Description	Code
Adaptor: REFILL INS. M10X1 LHF E. W.	1911-9288-01
Adaptor: REFILL INS. M12X1.75 LHF E. W.	1911-9289-01

# Trimmers lines

## Sp square



Code	Diameter (mm)	Lenght (m)	Type of pack
1911-9270-01	2.4	15	Small Donut
1911-9271-01	2.7	15	Small Donut
1911-9272-01	3.0	15	Small Donut
1911-9286-01	3.5	16	½ Dispenser
1911-9287-01	4	12	½ Dispenser
1911-9275-01	2.4	69	Medium Donut
1911-9276-01	2.7	55	Medium Donut
1911-9277-01	3.0	44	Medium Donut
1911-9278-01	3.5	32	Medium Donut
1911-9279-01	4	25	Medium Donut
1911-9280-01	2.4	345	Spool
1911-9281-01	2.7	275	Spool
1911-9282-01	3.0	220	Spool
1911-9283-01	3.5	160	Spool
1911-9284-01	4	125	Spool

## Round tiger section



Code	Diameter (mm)	Lenght (m)	Type of pack
1911-9232-01	2.4	15	Small donut
1911-9233-01	2.7	15	Small donut
1911-9234-01	3.0	15	Small donut
1911-9254-01	3.5	9	Small donut
1911-9255-01	4.0	7	Small donut
1911-9235-01	2.4	88	Medium donut
1911-9236-01	2.7	70	Medium donut
1911-9237-01	3.0	56	Medium donut
1911-9252-01	3.5	41	Medium donut
1911-9253-01	4.0	32	Medium donut
1911-9238-01	2.4	437	Spool 3lb
1911-9239-01	3.0	279	Spool 3lb
1911-9256-01	3.5	205	Spool 3lb
1911-9257-01	4.0	156	Spool 3lb

## Undulated section

Code	Diameter (mm)	Length (m)	Type of pack
1911-9240-01	1.6	15	Small donut
1911-9241-01	2.0	15	Small donut
1911-9242-01	2.4	15	Small donut
1911-9243-01	2.7	15	Small donut
1911-9244-01	3	15	Small donut
1911-9245-01	1.6	196	Medium donut
1911-9246-01	2.0	126	Medium donut
1911-9247-01	2.4	87	Medium donut
1911-9248-01	2.7	72	Medium donut
1911-9249-01	3	56	Medium donut

## Blades, guards and harnesses



Description	Code	Pos.	Fits for	Specification(mm)	Thickness
3T blade	1911-9262-01	1	BC 330 A, BC 330 AB, BC 535, BC 535 B, BC 545, BC 545 B, BC 555 B, BC 555 R	Ø = 255 - hole = 25.4	1.4 mm
3 arc blade	1911-9297-01	2	BC 700e, BC 700e B, BC 900e		
3 arc blade	1911-9263-01	2	BC 535, BC 535 B, BC 545, BC 545 B, BC 555 B, BC 555 R, BC 740 B, BC 750 B, BC 750 R, BC 760 R	Ø = 255 - hole = 25.4	3.0 mm
4T blade	1911-9264-01	3	BC 330 A, BC 330 AB, BC 535, BC 535 B, BC 545, BC 545 B, BC 555 B, BC 555 R, BC 535, BC 535 B, BC 545, BC 545 B, BC 555 B, BC 555 R, BC 740 B, BC 750 B, BC 750 R, BC 760 R	Ø = 255 - hole = 25.4	1.4 mm
8T blade	1911-9265-01	N.A.	BC 750 B, BC 750 R, BC 760 B	Ø = 255 - hole = 25.4	1.4 mm
24T saw blade	1911-9266-01	4	BC 750 B, BC 750 R, BC 760 B	Ø = 228 - hole = 25.4	1.8 mm
60T blade	1911-9267-01	N.A.	BC 750 B, BC 750 R, BC 760 B	Ø = 255 - hole = 25.4	1.4 mm
80T blade	1911-6268-01	N.A.	BC 750 B, BC 750 R, BC 760 B	Ø = 255 - hole = 25.4	1.4 mm
Saw blade guard	1911-9269-01	5	BC 750 B, BC 750 R, BC 760 B		
Kit saw blade (24T) + guard	1911-9290-01	6	BC 750 B, BC 760 B		
Double harness comfort	1911-9259-01	7	BC 750 B, BC 750 R, BC 760 B		
Padded single harness	1911-9260-01	8	-		
Single harness	1911-9261-01	9	-		

# Multi-mate



Description	Code	Pos.	Fits for	Note	Packaging
Grass blade 8 cm	232522011/ST1	1	SMH 72 AE, SMH 102 AE, SMH 104 AE	Accurate lawn trimming, awn edging	Blister
Grass blade 11 cm	232522021/ST1	1	SMH 72 AE, SMH 102 AE, SMH 104 AE	Accurate lawn trimming, awn edging	Blister
Grass blade 13 cm	232522031/ST1	1	SMH 72 AE, SMH 102 AE, SMH 104 AE	Accurate lawn trimming, awn edging	Blister
Shrub blade 18 cm	232522041/ST1	2	SMH 72 AE, SMH 102 AE, SMH 104 AE	Precise hedge trimming, bushes shaping, box edge sculpturing	Blister
Shrub blade 20 cm	232522051/ST1	2	SMH 72 AE, SMH 102 AE, SMH 104 AE	Precise hedge trimming, bushes shaping, box edge sculpturing	Blister
Soil grubber	232523011/ST1	3	SMH 102 AE, SMH 104 AE	Assisted soil care on vases and flowerbeds	Blister
Pruning cutter	232523021/ST1	4	SMH 72 AE, SMH 102 AE, SMH 104 AE	Sharp pruning of hedge, bush and tree branches	Blister
Telescopic handle	232521021/ST1	5	SMH 72 AE, SMH 102 AE, SMH 104 AE	Tilting shaft, 3 cutting height positions	Plastic bag + carton hanger
Textile bag	232524011/ST1	6	SMH 72 AE, SMH 102 AE, SMH 104 AE	For easy transport and storage	Plastic bag
Battery charger	1800-9009-01	7	SMH 72 AE	0.5 A (7.2 V)	Blister
Battery charger	1800-9010-01	7	SMH 102 AE, SMH 104 AE	0.5 A (10.8 V)	Blister
Battery charger	1800-9011-01	8	SMH 72 AE	0.5 A (7.2 V) BS plug	Blister
Battery charger	1800-9012-01	8	SMH 102 AE	0.5 A (10.8 V) BS plug	Blister



# Tillers



1  
Ridging plough



2  
Half side plough



3  
Ridging plough



4  
Kit adjustable spur



5  
Wide tines kit



6  
Tyres



7  
Iron wheels kit

Description	Code	Pos.	SRC 550 RG	SRC 750 G	SRC 775 RG	SRG 775 RB	SRC 795 RB	SRC 685 RG
Ridging plough	219000040/14	1		X		X	X	
Ridging plough	219000050/08	1	X					
Half side plough	219000120/18	2						X
Ridging plough	219000130/18	3						X
Kit adjustable spur	219000170/14	4		X	X	X	X	
Wide tines kit	219000190/14	5		X				
Tyres	219000070/08	6		X	X	X		
Tyres kit 16"	219000080/15	6						X
Iron wheels kit	219000140/18	7						X

# Safety clothing

## Forestal jacket



Packaging  
Dimensions: 38.5x29x10 cm  
Gross weight: 1.240 kg

Code	Description	Size
1599-1928-01	Forest jacket	S
1599-1928-11	Forest jacket	M
1599-1928-21	Forest jacket	L
1599-1928-31	Forest jacket	XL
1599-1928-41	Forest jacket	XXL

## Protective trousers



Packaging  
Dimensions: 38.5x29x10 cm  
Gross weight: 1.760 kg

Code	Description	Size
1599-1929-01	Protective trousers	S
1599-1929-11	Protective trousers	M
1599-1929-21	Protective trousers	L
1599-1929-31	Protective trousers	XL
1599-1929-41	Protective trousers	XXL

## Protective leggings



Packaging  
Dimensions: 49x363.5x4 cm  
Gross weight: 1.310Kg

Code	Description	Size
1599-1924-00	Protective leggings	Unique size

## ACCESSORIES



### Technical gloves

Packaging  
Dimensions: 31x12x3 cm  
Gross weight: 0.113 kg

Code	Description	Size
1599-1931-01	Technical gloves	8
1599-1931-11	Technical gloves	9
1599-1931-21	Technical gloves	10
1599-1931-31	Technical gloves	11
1599-1931-41	Technical gloves	12



### Braces

Packaging  
Dimensions: 12.3x32x3 cm  
Gross weight: 0.150 kg

Code	Pos.	Description	Size
1599-1941-00	1	Braces with loops	One size



### Helmet

Packaging  
Dimensions: 30x25x16.6 cm  
Gross weight: 0.700 kg

Code	Description	Size
1599-1913-11	Helmet	One size

# Lubricants and Oil

## Chain Oil

IDEAL FOR



1



2



IDEAL FOR



3



4



Code	Pos.	Type	Capacity	Note
1111-9228-01	1	Mineral	1 L	Export
1111-9229-01	2	Mineral	5 L	Export
1111-9276-01	3	Biodegradable	1 L	Export + Italy
1111-9247-01	4	Biodegradable	5 L	Export + Italy

## 2 Stroke Oil

IDEAL FOR



1



2



Code	Pos.	Type	Specification	Capacity	Note	Bottle dim.	Pcs/box	Box/pallet
1111-9230-01	1	Synthetic 100%	API TC - JASO FD ISO-L-EGD	1 L dozer	Export	14x5.7x25 cm	12	28
1111-9231-01	2	Synthetic 100%	API TC - JASO FD ISO-L-EGD	0,1 L	Export	5x5x10 cm	2 kit of 20	60

## ACCESSORIES

IDEAL FOR



1 2 3

SAE 5W-30  
ALSO IDEAL FOR



4 5 6

### 4 Stroke Oil

Code	Pos.	Type	Specification	Capacity	Note	Pcs/box	Box/pallet
1111-9234-01	1	SAE 30	API SL/CF – ACEA A3/B4	0.6 L	Export	16	35
1111-9235-01	2	SAE 30	API SL/CF – ACEA A3/B4	1 L	Export	12	36
1111-9237-01	3	SAE 10W-30	API SL/CF – ACEA A3/B4	0.6 L	Export	16	35
1111-9236-01	4	SAE 30	API SL/CF – ACEA A3/B4	1.4 L	Export	12	36
1111-9238-01	5	SAE 10W-30	API SL/CF – ACEA A3/B4	1.4 L	Export	12	36
1111-9242-01	6	SAE 5W-30	API SL/CF – ACEA A3/B4	1.4 L	Export	12	36

### Transmission Oil

IDEAL FOR



1 2

Code	Pos.	Type	Specification	Capacity	Note	Bottle dim.	Pcs/box	Box/pallet
1111-9241-01	2	SAE 5W-40	API GL-4/GL-5	4 L	Export	10.5x20.5x29 cm	5	18
1111-9281-01	n.a.	SAE 5W-50	API GL-4/GL-5 + LS	1.4 L	Export	13x6.8x25.4 cm	12	36
1111-9282-01	n.a.	SAE 5W-50	API GL-4/GL-5 + LS	5 L	Export	N.A.	N.A.	N.A.
1111-9300-01	n.a.	SAE 5W-50	API GL-4/GL-5 + LS	60 L	Export	N.A.	N.A.	N.A.

### Cans



1.  
Packaging  
Dimensions: 28x19x18 cm  
Gross weight: 0.500 kg



2.  
Packaging  
Dimensions: 31x29.5x15 cm  
Gross weight: 1.065 kg

Code	Pos.	Type	Capacity
1111-0001-01	1	Can	5 L
1911-9144-01	2	Combican	5 L + 2 L

# Toys



## Toy mower

### Toy mower

Age	2.5 - 5 years
Made in	Italy
product weight	2.2 kg
Art. N.	2G1100000/ST1



## Pedal toy tractor

### Mini-T 300

### Mini-T 250

	Mini-T 300	Mini-T 250
Age	3 - 8 years	2.5 - 5 years
Equipment	Trailer hitch kit	Trailer hitch kit
Made in	Germany	Germany
Product weight	15.7 kg	8 kg
Art. N.	2G2000100/ST1	2G1000100/ST1



MA7150002/23EN

**STIGA**

**STIGA S.p.A.**  
**via del Lavoro 6**  
**31033 Castelfranco V. (TV)**  
**Italy**

**[stiga.com](http://stiga.com)**

STIGA reserves the right to make changes to products and prices without prior notice.